



February 23, 2006

SDMS DociD 207454

Mr. Greg Ham(3HS31)
On-Scene Coordinator
U.S. Environmental Protection Agency Region 3
1650 Arch Street
Philadelphia, PA 19103

Subject:

Final Trip Report for the Old Hamburg Gas Station Site

EPA Contract No. EP-S3-05-02

Technical Direction Document No. E03-001-05-09-001

Document Tracking No. 0082

Dear Mr. Ham:

Tetra Tech EM Inc. (Tetra Tech) is submitting the final trip report for the Old Hamburg Gas Station site summarizing the November 2005 sampling event. If you have any questions, please contact me at (610) 364-2137.

Sincerely,

Sincerely,

Mark Sindaco Project Manager

Enclosure

cc: TDD File

of the state of th



FINAL TRIP REPORT FOR THE **OLD HAMBURG GAS STATION SITE** HAMBURG BOROUGH, BERKS COUNTY, PENNSYLVANIA

Prepared for

U.S. Environmental Protection Agency Region 3 1650 Arch Street Philadelphia, Pennsylvania 19103

Submitted by

Tetra Tech EM Inc. 7 Creek Parkway, Suite 700 Boothwyn, Pennsylvania 19061

EPA Contract No. EP-S3-05-02

Technical Direction Document No. E03-001-05-09-001 Document Tracking No. 0082

February 23, 2006

Prepared by

Approved by

Mark Sindaço

Project Manager

START Program Manager



CONTENTS

<u>Section</u>	<u>Pa</u>	<u>ge</u>
1.0	INTRODUCTION	1
2.0	BACKGROUND 2.1 SITE LOCATION 2.2 SITE DESCRIPTION 2.3 SITE HISTORY	1
3 .0	SITE ACTIVITIES 3.1 SAMPLE COLLECTION 3.1.1 Soil Sampling 3.1.2 Ground Water Sampling 3.2 SAMPLE HANDLING PROCEDURES	5 5 7
4.0	DEVIATIONS FROM SAMPLING PLAN	10
5.0	ANALYTICAL RESULTS	10 11 11 12 12
6.0	SUMMARY AND CONCLUSIONS	12
	endix	14
A	FIELD LOGBOOK NOTES	
В	LABORATORY DATA PACKAGE	
С	SUMMARY OF ANALYTICAL RESULTS	
D	DATA QUALITY REPORT	
Е	PHOTOGRAPHIC DOCUMENTATION	



FIGURES

<u>Figure</u>		Page
1	SITE LOCATION MAP	2
2	SITE LAYOUT MAP	4
3	SAMPLING LOCATION MAP	8
	TABLES	
Table		Page
1	SOIL SAMPLING SUMMARY	6
2	GROUNDWATER SAMPLING SUMMARY	9



1.0 INTRODUCTION

Under Eastern Area Superfund Technical Assessment and Response Team (START) Contract No. EP-S3-05-02, Technical Direction Document (TDD) No. E03-001-05-09-001, U.S. Environmental Protection Agency (EPA) Region 3 tasked Tetra Tech EM Inc. (Tetra Tech) to conduct a removal site assessment at the Old Hamburg Gas Station in Tilden Township, Berks County, Pennsylvania. The purpose of the site assessment was to determine whether lead, arsenic, or antimony are present at the site at concentrations that might present a threat to human health or the environment and to determine whether a removal action is needed.

This trip report provides site background information in Section 2.0, describes site activities in Section 3.0, discusses deviations from the sampling plan in Section 4.0, summarizes sample analytical results in Section 5.0, and summarizes the site assessment and Tetra Tech's conclusions in Section 6.0. All references cited in this report are listed after the text.


In addition, Appendix A contains a copy of Tetra Tech's field logbook notes for the November 29 through December 2, 2005, sampling event conducted at the site. Appendix B provides the laboratory data package for the samples collected, and Appendix C summarizes the sample analytical results. Finally, Appendix D provides a data quality report for the x-ray fluorescence (XRF) analysis of the samples, and Appendix E contains the photographic documentation.

2.0 BACKGROUND

This section describes the site location, presents a description of the site, and summarizes the site history.

2.1 SITE LOCATION

The Old Hamburg Gas Station site is located along the north side of West State Street and west of Industrial Drive in Tilden Township, Berks County, Pennsylvania, as shown in Figure 1



Trip Report Page 2 of 14

Collin

(USGS[U.S. Geological Survey] 1945, 1956). The geographic coordinates of the approximate center of the site are 40.331232° north latitude and 75.593264° west longitude. The site is bordered to the north by open fields, to the east by Industrial Drive, to the south by West State Street, and to the west by a pond and railroad tracks.

There are two residences on the property, one is a rental house and the other is a rental mobile home. One residence and a park playground are located south of the site, on West State Street. Residences on West State Street use private drinking water wells.


2.2 SITE DESCRIPTION

The 0.83-acre Hamburg Old Gas Station site is the former location of a greenhouse and gas station where currently two residences occupy the property, a rental house and a rental mobile home. The site is primarily characterized by open, grass-covered fields, a residence, garage, a rental trailer, residential well, an on-site monitoring well, and gravel-covered roads and parking areas. Figure 2 provides the site layout (USGS 1997). The climate of Berks County is temperate with temperatures ranging from 30° F in January to 75° F in July (Buttle and Tuttle, Ltd., 2000) Precipitation is evenly distributed throughout the year. The annual precipitation rate is between 40 and 44 inches (U.S. Department of Commerce 1993).

2.3 SITE HISTORY

A battery manufacturing facility operated in the Borough of Hamburg from 1920 to the mid-1990s. During operations, the battery casings were split open, and the lead plates inside the batteries were removed for resmelting. The casings were used as fill material and deposited in many areas throughout the Northern Berks County area.

During the late 1990s, the Old Hamburg Gas Station property was evaluated as a part of the Hamburg Lead Site by Tetra Tech. Battery chips and casings were observed on the property and a monitoring well was placed on site. No further removal actions have been conducted by the





EPA at the Hamburg Old Gas Station Site to date. Several years have passed and previous sampling data are considered invalid and cannot be evaluated.

3.0 SITE ACTIVITIES

This section summarizes sample collection activities and sample handling procedures used during the removal site assessment.

3.1 SAMPLE COLLECTION

This section describes the soil, monitoring well, and residential well sampling techniques used and summarizes the identifiers, quantities, and locations for all the samples collected during the removal site assessment. All nondedicated sampling equipment was subjected to gross decontamination using a scrub brush, liquinox and distilled water, followed by a double rinse with deionized water, in accordance with Tetra Tech Standard Operating Procedure (SOP) No. 002, "General Equipment Decontamination" (Tetra Tech 1999a).

3.1.1 Soil Sampling

Tetra Tech collected 43 surface soil samples and five subsurface soil samples on November 29 and 30, 2005. Surface and subsurface soil samples were collected from a 0.83-acre grid with 40-foot-interval spacing, except in areas where buildings or parking areas would not allow for the proper spacing of the grid. Tetra Tech based the grid from the description of the property line that the home owner had given before sampling. The grid was placed where battery casings were suspected or observed to be present during prior site walk-throughs. Soil samples were collected from both the locations of established grid nodes (a grid node is the intersection of a row and column) and biased sampling locations selected based on the presence of battery casing fragments or other evidence that indicated that lead-contaminated fill was used in an area. In addition, five subsurface soil samples were collected in areas thought to have high concentrations of lead. About 10 percent of the soil samples collected at the site were shipped to a Delivery of



Analytical Services (DAS) laboratory that was assigned by EPA Region 3 Analytical Services Quality Assurance Branch for lead analysis to confirm XRF results and for arsenic and antimony analyses. XRF analysis was conducted in accordance with EPA Test Method No. 6200, "Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment" (EPA 1998). Table 1 summarizes the site soil sampling activities and includes Tetra Tech's sample identifiers, sample collection dates and times, and sampling locations. Figure 3 provides sampling locations and soil results > 400 parts per million (ppm).

Soil samples were collected in accordance with Tetra Tech SOP No. 005, "Soil Sampling" (Tetra Tech 1999b). All samples were collected using dedicated polyethylene scoops and were placed in self-locking, labeled, plastic bags.

TABLE 1 SOIL SAMPLING SUMMARY

Sample Identifier	Sample Collection	Sample Collection	Sampling Location
	Date	Time	
OGS-SS-A001	11/29/2005	1425	Parking area in front of trailer
OGS-SS-A002	11/29/2005	1435	Parking area in front of trailer
OGS-SS-A003	11/29/2005	1437	Parking area in front of home
OGS-SS-A004	11/29/2005	1441	Parking area in front of home
OGS-SS-A005	11/29/2005	1442	Adjacent to MW-01
OGS-SS-A006	11/29/2005	1444	West side of home
OGS-SS-A007	11/29/2005	1445	Between home and trailer
OGS-SS-A008	11/29/2005	1451	Between home and garage
OGS-SS-A009	11/29/2005	1452	Grass area in front of garage
OGS-SS-A010	11/29/2005	1453	Next to porch of trailer
OGS-SS-A011	11/29/2005	1454	Between trailer and Industrial Drive
OGS-SS-A012	11/29/2005	1457	Next to residential wellhead
OGS-SS-A013	11/30/2005	1039	Shore line of pond
OGS-SS-A014	11/30/2005	1042	North corner of house
OGS-SS-A015	11/30/2005	1045	Next to deck on rear of the house
OGS-SS-A016	11/30/2005	1047	Northeast corner of house
OGS-SS-A017	11/30/2005	1049	Grass area behind garage
OGS-SS-A018	11/30/2005	1050	Grass area behind garage
OGS-SS-A019	11/30/2005	1051	Behind trailer
OGS-SS-A020	11/30/2005	1053	Northeast corner of trailer
OGS-SS-A021	11/30/2005	1054	Behind trailer
OGS-SS-A022	11/30/2005	1056	Lowland 40 feet north of A019
OGS-SS-A023	11/30/2005	1100	Lowland 40 feet north of A018
OGS-SS-A024	11/30/2005	1101	Lowland 40 feet north of A017
OGS-SS-A025	11/30/2005	1102	Lowland 40 feet north of A016



TABLE 1 (Continued) SOIL SAMPLING SUMMARY


Sample ID	Sample Collection Date	Sample Collection Time	Sampling Location
OGS-SS-A026	11/30/2005	1103	Soil form under plastic liner in sandbox
OGS-SS-A027	11/30/2005	1106	Shoreline of pond
OGS-SS-A028	11/30/2005	1108	Lowland
OGS-SS-A029	11/30/2005	1112	Lowland
OGS-SS-A030	11/30/2005	1114	Lowland
OGS-SS-A032	11/30/2005	1121	Lowland
OGS-SS-A033	11/30/2005	1122	Lowland
OGS-SS-A034	11/30/2005	1123	Lowland
OGS-SS-A035	11/30/2005	1125	Lowland
OGS-SS-A036	1130/2005	1130	Lowland
OGS-SS-X001	11/30/05	1446	10 feet north of monitoring well on bank
OGS-SS-X002	11/30/05	1500	On bank between house and garage
OGS-SS-X003	11/30/05	1005	On bank behind garage
OGS-SS-X004	11/30/05	1012	On bank behind trailer
OGS-SS-X005	11/30/05	1017	On bank behind trailer
OGS-SS-Y001	11/29/05	1500	Collected 1 foot below X002
OGS-SS-Y002	11/30/05	1005	Collected 1 foot below X003
OGS-SS-Y003	11/30/05	1012	Collected 1 foot below X004
OGS-SS-Y004	11/30/05	1017	Collected 1 foot below X005
OGS-SS-Y005	11/30/05	1122	Collected 1 foot below A023
OGS-SS-Z001	11/30/05	1016	Duplicate of OGS-SS-A022
OGS-SS-Z002	11/30/05	1108	Duplicate of OGS-SS-A028

Notes:

A = Grid surface soil sample X = Biased surface soil sample
OGS = Old Hamburg Gas Station Y = Soil sample collected at depth
SS = Soil sample Z = Field duplicate soil sample

3.1.2 Groundwater Sampling

Tetra Tech collected groundwater samples from two wells: a monitoring well on site that was installed during previous site investigations and a residential well on site. The monitoring well sample was collected in accordance with Tetra Tech SOP No. 10, "Groundwater Sampling' (Tetra Tech 2000a). The residential well sample was collected in accordance with the recommendations set forth by EPA in Section 8, "Sampling of Potable Water Supplies," in the "Environmental Investigations Standard Operating Procedures and Quality Assurance Manual" (EPA 2001). The purpose of collecting a sample from the monitoring well was to evaluate





whether the residential and monitoring wells contains lead, arsenic, or antimony at concentrations that pose a risk to human health or the environment. The monitoring and residential well samples were analyzed for target analyte list (TAL) metals, including cyanide, and target compound list (TCL) volatile organic compounds (VOCs), semivolatile organic compounds (SVOC), and pesticides and polychlorinated biphenyls (PCB).

Five samples (including one duplicate, one trip blank, and one field blank) were shipped to U.S. EPA Region 3 Office of Analytical Services and Quality Assurance Environmental Science Center in Fort Meade, Maryland, where they were analyzed for VOCs, pesticides/PCBs, TAL total metals, and cyanide. Four samples (including one duplicate and one field blank) were also shipped to Liberty Analytical Cary, North Carolina, where they were analyzed for TCL SVOCs. Table 2, Groundwater Sampling Summary, shows sample identifiers, test methods, quality assurance/quality control samples, and sampling collection dates and times. Figure 3 shows sampling locations.

	Table 2 GROUNDWATER SAMPLING SUMMARY										
Sample Identifier	Analysis	QA/QC Samples	Sample Date	Sample Time							
OGS-MW-01	TAL/TCL	NA	11/29/05	1100							
OGS-RW-01	TAL/TCL	NA	11/29/05	1130							
OGS-RW-02	TAL/TCL	Duplicate of RW-01	11/29/05	1145							
OGS-FB-01	TAL/TCL	Field Blank	11/29/05	1200							
OGS-TB-01	TAL/TCL	Trip Blank	11/29/05	1215							

Notes:

FB = Field Blank

TAL = Target Analyte List Inorganics

OGS = Old Hamburg Gas Station

TCL = Target Compound List Organics

MW = Monitoring Well TB = Trip Blank

NA = Not Applicable

QA/QC = Quality Assurance/Quality Control

RW = Residential Well



3.2 SAMPLE HANDLING PROCEDURES

Samples were handled and packaged in accordance with Tetra Tech SOP No. 019, "Packaging and Shipping Samples," and with the Tetra Tech "Quality Assurance Project Plan (QAPP) for START" (Tetra Tech 2000b, 2005, respectively). Five soil samples were shipped on November 29, 2005 via Federal Express to Environmental Science Center at EPA's Fort Meade, Maryland, laboratory for analysis under DAS Case No. R32383. Five water samples were shipped on November 30, 2005 and to Liberty Analytical in Cary, North Carolina for analysis under DAS Case No. 34925.

4.0 **DEVIATIONS FROM SAMPLING PLAN**

Tetra Tech originally proposed to collect 50 soil samples at the site. After marking proposed sampling locations and observing minimal battery casings, Tetra Tech collected only 48 soil samples.

5.0 ANALYTICAL RESULTS

This section presents the sample analytical results associated with the removal site assessment activities conducted by Tetra Tech at the Old Hamburg Gas Station site. The laboratory data package for the samples is provided in Appendix B; and a table detailing the soil sample analytical results is included in Appendix C.

5.1 SOIL ANALYTICAL RESULTS

No risk-based concentrations (RBC) or emergency removal guideline is established for lead in surface soils at residential or industrial sites. During various EPA removal actions in the Hamburg area, 400 parts per million (ppm) lead and 1,000 ppm lead have been used as the removal action levels for residential and industrial sites, respectively.

XRF results for soil samples collected during the removal site assessment at the Old Hamburg Gas Station site indicated that lead concentrations exceeded 400 ppm in 23 of the 48 soil samples collected and analyzed from the site. The average lead concentration in these 23 samples was

4,300 ppm. The average lead concentration in all 48 samples analyzed was 2,128 ppm. The highest concentration of lead in the soil samples was 27,187 ppm in sample OGS-SS-Y004. One area of lead contamination was found; the area with the contamination appears to be the filled in area in front and back of the structures on site. The area appeared to have been backfilled with battery waste. Battery casings were visible in surface soils throughout these areas.

Tetra Tech sent five of the lead-contaminated soil samples to a DAS laboratory for confirmation of the XRF results for lead. The DAS laboratory also analyzed these samples for arsenic and antimony. Arsenic was detected in all five of the samples at concentrations above the residential RBC of 0.4 ppm; the highest concentration was 16.8 ppm in sample OGS-SS-006. Antimony was detected in one of the samples at concentrations below the residential RBC of 31.4 ppm. Table C in Appendix C summarizes the lead, arsenic, and antimony results for the soil samples.

Tetra Tech also collected two duplicate soil samples at random locations. Table C in Appendix C compares the analytical results for the two pairs of duplicate samples.

5.2 **GROUNDWATER ANALYTICAL RESULTS**

This section describes the analytical results for groundwater samples collected from the site on November 29, 2005. Lead, arsenic, and antimony are the main contaminants of concern for the site. Because the site is a residential area, the analytical data were screened compared to EPA Region 3 RBCs for tap water (EPA 2005), and maximum contaminant levels (MCL) (EPA 2002). In the initial stage, data were compared with MCLs. If the MCL was not available for any inorganic substance or organic compound, its concentration then was compared to its RBC.

5.2.1 INORGANIC RESULTS

This section discusses analytical results for the five water samples analyzed for TAL total metals. The **concentration** for lead in sample OGS-MW-01 was 54 micrograms per liter (μ g/L) above the removal action level (RAL) of 15 µg/L. RAL is used in place of the MCL for lead. Samples OGS-RW-01 and OGS-RW-02 (duplicate of OGS-RW-01) contained lead at 3.7 and 3.6 µg/L, respectively. Sample OGS-MW-01 also contained arsenic at 5.6 µg/L-above its RBC of 0.045

Colley.

 μ g/L but below its MCL of 10 μ g/L. Iron (19,200 μ g/L) and manganese (7,880 μ g/L) were also detected in sample OGS-MW-01 above their respective RBCs of 11,000 μ g/L and 730 μ g/L. Tetra Tech also collected one rinsate blank during the sampling event. Sample OGS-RB-01 was collected from nondedicated sampling tools, including a pickaxe and shovel. The lead results for the rinsate blanks indicate that the equipment was sufficiently decontaminated before use.

5.2.2 VOLATILE ORGANIC COMPOUND RESULTS

No VOCs were detected in the three groundwater samples collected at the Old Hamburg Gas Station site.

5.2.3 SEMIVOLATILE ORGANIC COMPOUND RESULTS

No SVOCs were detected in the three groundwater samples collected from the Old Hamburg Gas Station site.

5.2.4 PESTICIDE AND POLYCHLORINATED BIPHENYL RESULTS

No pesticides or PCBs were detected in the three groundwater samples from the Old Hamburg Gas Station site.

6.0 SUMMARY AND CONCLUSIONS

The removal site assessment for the Old Hamburg Gas Station site included collection of soil, and groundwater water samples. Soil samples were collected from a 0.83-acre area where lead contamination was found during past investigations. Groundwater water samples were collected from a residential well and a monitoring well that are located on the property. This section discusses these areas and the threats that they pose to public health and the environment. Using US Census Bureau estimates within one square mile of the there are 287 residents. (U.S. Census,



2000) Using this data approximately 142 residents live within the 0.5 miles and approximately 71 residents live within 0.25 miles of the site.

Areas around the surface structures have elevated lead and arsenic concentrations. The approximate area of surficial contamination is 26238.6 square feet. The site property and these areas in particular have uncontrolled access, and a four year old child recently moved from the house on the property but still visits. Also, behind the homes is an area where flooding frequently occurs and the runoff from the flooding flows into the nearby Schuylkill River, soil contamination could migrate off site during heavy rainstorms and impact neighboring properties and the river. Moreover, during periods of high wind velocities, lead-contaminated dust could be blown off site onto neighboring properties and the river. At this time the groundwater does not appear to be impacted but if the contamination is left on site, there is a chance contamination could affect the groundwater in the area and there are several homes in the area that use wells for drinking water.



REFERENCES

- Buttle and Tuttle LTD. 2000. "Climate Data for Reading 4NNW." On-Line Service Accessed in October.
- Tetra Tech EM Inc. (Tetra Tech). 1999a. "General Equipment Decontamination." Standard Operating Procedure (SOP) No. 002. December.
- Tetra Tech. 1999b. "Soil Sampling." SOP No. 005. December.
- Tetra Tech. 2000a. "Groundwater Sampling." SOP No. 010. March.
- Tetra Tech. 2000b. "Packaging and Shipping Samples." SOP No. 019. January.
- Tetra Tech. 2005. "Quality Assurance Project Plan [QAPP] for START." August.
- U.S. Department of Commerce, National Environmental Satellite, Data, and Information Services. 1993 Reprint. Climatic Atlas of the United States. Asheville, NC.
- U.S. Environmental Protection Agency (EPA). 1998. "Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment." Method 6200. From "Test Methods for Evaluating Solid Waste." Update IVA. January.
- EPA. 2001. "Environmental Investigations Standard Operating Procedures and Quality Assurance Manual." November.
- EPA. 2002. "National Primary Drinking Water Standards." Office of Water. Washington, D.C. July.
- EPA. 2005. "Risk-Based Concentration Table." Region 3, Hazardous Site Cleanup Division, Superfund Technical Support Section. Philadelphia, Pennsylvania. August.
- U.S. Census Bureau 2000 "Factfinder.census.gov/home/saff/home.html" On-line Service accessed February 2006
- U.S. Geological Survey (USGS). 1945. 7.5-Minute Series Topographic Map of Auburn, Pennsylvania, Quadrangle. Photo revised 1979, Minor Revision 1994
- USGS. 1956. 7.5-Minute Series Topographic Map of Hamburg, Pennsylvania, Quadrangle. Photo revised 1969, 1977, Minor revision 1994.
- USGS. 1997. Pennsylvania Bureau of Topographic and Geologic Survey Digital Orthophoto (DOQQ) mosaic for Hamburg Quadrangle (NAPP III, 1997-2001)



APPENDIX A FIELD LOGBOOK NOTES

(4 Pages)

0900 ARRIVE AT 136 WEST STATE STREET, PERFORM

START OBSERVES BATTERY CASINGS IPIECES THROUGHOUT
BANKING AND AT BASE OF TREES AT THE REAR OF

HOUSE, TRAILER, AND GARAGE. OFC HAM AND

WILL LIKEY INCREASE FROM ORIGINAL 25-FOOT

1000 SET UP AT MONITORING WELL OSS-MWOI FOR WATER SAME.

OFS-MWOI IS IN GOOD CONDITIONS WELL CHARACTERSTICS:

START DISCUSS SOIL SAMPLING GRID. THE GRID

INTERVALS TO 40-FOOT INTERVALS.

DIAM D"-

DEPTH- 16.28'

DEPTH TO WHIER: 7.98 -

WATER COLUMN HEIGHT: 8.3

TRIRE PURGEYOL 4.0587 GAL.

BRIEF STIE BECONASHINCE WITH EPH OSQ-HAM

	MBURG, PA	
Project / Client _	OLD GAS STAT	ION 1 R3
	TUFSDAY	

1030 REZIN PURGE NO SIGNIFICANT GOOR OR SHEEN OBSERVED COLOR IS MUDDY . 1045 FIRST PURGEVOLUME REACHED. TEMPOC SAL96 PH TURR DO MOLL COND. ASKON 17.0 | 4.01 |705 | 209 | 19.99 1050 WELL ARY 3X AT APPROX 2.5 GAR. 1100 COCLECTIOGS-MWOIL 1105 START PURKE AT RESIDENTIAL WELL SPIGOT IN BACK OF HOUSE. OGS-PWOI. 1125 STOP PURGE 1130 COLLECT 10G5-RWOTTFROM SPIGOT. ALSO COLLECT MS/MSD VOLUME 1145 COLLECT OGS-RWOZ FROM SPIGOT THIS IS A OUPLICATE OF OGS-RWOI. 1200 PALLECT FIELD BLANK LOGS-FBOIL. 1215 COLFET TRIPBLANK/OGS-TBOIL. 1230 Ochect 1300 BEGIN TO GRID OUT AND COLLECT SOIL SAMPLES, START DROPS PIN FLAGS. SAMPLES WITH PREFIX "A" ARE COLLETED O-3" BELOW GARE SAMPLES WITH PREFIX "X" ARE COLLECTED OF BELOW

ADE FROM A BINSED LOCATION. SAMPLES WITH FIX "Y" ARE COLECTED FROM BELOW 3" SAMPLES 41 ALEFIX "Z' ARE FIELD DURICATE SAMPLES TE : ALL SOIL MATRIX SAMPLES WILL BE ENTERED THE LUGBOOK LATER. -RT FOLLOWS DECONTAININATION PROTOCOL FOR KL N- DEDICATED EQUIPMENT. -30 PAIN BECOMES HEAVY, WIND HEAVY AND CIABLE START PETURNS TO COMMAND POST D PICKS UP I OF FOR SAMPLES. . O BEZIN PRESERVING ALL SAMPLES. ALSO BEGIN IRMS II LITE AND TRAFFIC REPORT GENERATION. 5 FINISH PACKING FT MEADE SAMPLES FOR CONNOWATER, SHIPPING THREE COOLERS VIA DEX DEGANIC TEAFFIC REPORT # = 3-161/83375-- 2905 - 002 . IN ORGANIC TRAFFIC REPORT # = 161/83375-112905-0001. ALL FOR DAS 1. P 32383. CACE SHIPMENT IS COMPLETE. 30 STACT OFF SITE FOR FEDEX, WILL SHIP HERTY SAMPLES TOMORROW. ALSO SHIPPING HORIBA. ESPACIC RUMP, AND WATER LEVEL METER TO EAGLE TON LGAT.

1800 START GAWAREAUSKI AND SINDACO APRIVE ON SITE AT HAMBRU COMMAND POST. WILL RE-ICE SVOA BOTTLES FOR SHIP-MENT TODAY. -BEGIN PREPARING FOR TODAY'S SOIL SAMPLING EVENT, WILL CONTINUE TO GPS SAMPLE POINTS . -0830 PUT YESTEADAY'S SAMPLES ON BAKE TO DRY OUT FOR XRH. -0900 ARRIVE AT 130 W STATE STREET. WEATHER COOL, SWAY LYOF. NOTICEABLE WATER PONDING THAT WAS NOT THERE YESTERDAY. 0930 BEGIN LAYING OUT SAMPLE BAGS ALONG GAID NODES AND SKETCHING SITE CAYOUT. NOTE: ON 11/09/05, START COLLECTED LOGS - REJOH, A KINSATE BLANK AT 1530 BELOW ARE THE SOIL SAMPLES COLLETED (11/29 AND 11/30/05) DYRING THE DLD HAMBURG GAS STATION STES SAMPLING EVENT. ALL ACTIVITY FOLLOWED THE SAMPLING AND ANALYSIS PLAN APETARED BY STAKT:

Project / Client EPA OLD GAS STATION / R.3

WED.

Project / Client OLD LAS STATION / R3

WED.

T ACSO P	PUATA DAC	MENTE	SAMPLE LOCATIONS
SITE OB	,		2)//// 5
SAMPLE 10	i 1		COMMENTS
5- A001	11/29/05		
-A002	11/29/05	1435	
-A003	11/29/05	1437	
-A004	11/29/05	1441	
- A005	11/24/05	1442	
- A006	11/29/05	1444	
3-4007	11/29/05	1445	
5-A008	11/29/05	1451	
3-A009	11/29/05	1452	
5- 4010	11/29/05	1453	
:- A011	11/29/05	1454	
5-A0/2	11/29/05	1457	
5 - A013	11/30/05	1039	
5-A014	11/39/05	1042	
5-A015	11/39/05	1045	
-S-A016	11/30/03	1047	
5-H017	11/30/05	1049	CASINGS OBSERVED
-S-A018	11/30/05	1050	LASINGS OBSELVED
1	1	} .	


065-A	019	1//38/	05	10:	51	CASINGS ORSEDNED
065-A					1	
065- A	091	11/30/	05	/a	54	
OGS - A	das	11/30/	25	105	56	
OGS-A	1		1		!	
065- A	924	11.3010	15	1/0	9/_	
065-A			1 1		(
OGS-A			, ,	1	1	
OGS-A			1 / 1			
005-4	1 1		7/			
OGS-A						
cos-A						
065-A	1 1		1.0		1	
065 A		· 12	,	,		
065 - A	1 6		14		i i	
OGS-A	1 1	, ,	'b 1	1	l_	
OS-A		7.			30	
065 - X		/		14	146	
ogs - x	002	Vlad	05	15	20	CASINGS OBSERVED
005- X	003	11/30/	25	10	05	CARINGS OBSERVED

Project / Client OLD GAS STATION / R3

			,	
·6 -	X004	11/30/09	1012	CASINGS GESERVED
5-	X005	11/30/05	1017	Casings observed
5-	Y001	11/29/05	1500	~ I FT BGS
5-	Y002	11/30/05	1005	~ I FT BGS
- ی	Y003	1/30/05	1012	~ (FTBGS
- کر	Y004	11/30/05	1017	~1 FT 865
15-	Y005	11/20/05	1/22	~1 FT 8GS
<u>,</u> S-	2001	11/30/05	1016	DUP. OF ADDA
	2002		L	DUP OF A028
TE.	A SITE	SKETCH !	WAS DRA	WN WITH SITE
				DISTANCES
MPL	E TOTAL	5: 36 %	", 5 "x".	514, 2121-
				11 LITE POR
DAY	s suda	SHIPHEN	ST. SHIPE	PING OUE
004	ER VIAF	EDEX, O	RGANIC T	PAFFIC REPORT
- 3.	-161183	75-1129	05-00	3 FOR CASE
- 34	925 70	CIBERTY	ANALYT	CAL COLLORATION.
20	DOWNLO	AD GAS	TEM BLF	GEOEXPLORER)
Ta	AND D	1 GOTAL	PHOTO GRE	PHS.
T 10	DKY's SO	LSHKKE	ON BAK	E
30	BEGIN SA	VING/PR	epacing y	esterday 's

Project / Client OLD GAS STATISM (R3)

WEP.



OPIGINAL

APPENDIX B LABORATORY DATA PACKAGE

(49 Pages)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III ENVIRONMENTAL SCIENCE CENTER 701 MAPES ROAD FORT MEADE. MARYLAND 20755-5350



DATE

: December 21, 2005

SUBJECT:

Region III Data QA Review

FROM

Khin-Cho Thaung KCT

Region III ESAT RPO (3EAS20)

TO

: Greg Ham

Regional Program Manager (3HS31)

Attached is the organic data validation report for the Hamburg Old Gas Station site (Case#: 34925, SDG#: C02C7) completed by the Region III Environmental Services Assistance Team (ESAT) contractor under the direction of Region III EAID.

If you have any questions regarding this review, please call me at (410) 305-2743.

Attachment

cc: Marian Murphy (Tetra Tech EMI)

TO#: File: 0023 TDF#: 1225

OFFICE OF ANALYTICAL SERVICES AND QUALITY ASSURANCE



Lockheed Martin Information Technology
ESAT Region 3
US EPA Environmental Science Center
701 Mapes Road Ft. Meade, MD 20755-5350
Telaphone 410-305-3037 Facsimile 410-305-3597

LOCKHEED MARTIN
We never forget who we're working for"

DATE:

December 20, 2005

SUBJECT:

Level M3 Organic Data Validation for 34925

SDG: C02C7

Site: Hamburg Old Gas Station

FROM:

Douglas Gardner (D) Greanic Data Reviewer

Mahboobeh Mecanic M M Senior Oversight Chemist

TO:

Khin-Cho Thaung

ESAT Region 3 Project Officer

QVERVIEW

Case 34925, Sample Delivery Group (SDG) C02C7, consisted of four (4) aqueous samples for low concentration semivolatile analyses submitted to CompuChem (LIBRTY). The sample set included one (1) field blank and one (1) field duplicate pair. Samples were analyzed according to Contract Laboratory Program (CLP) Statement of Work (SOW) OLC03.2 through Routine Analytical Services (RAS) program.

SUMMARY

Data were validated according to Region III Modifications to the National Functional Guidelines for Organic Data Review, Level M3. Areas that may impact data usability are listed below.

MINOR PROBLEM

The analysis of sample C02C8 had recovery of deuterated monitoring compound (DMC) benzo(a)pyrene-d12 (SDMC16) outside the lower QC limit. No positive results were reported for compounds associated with SDMC16 (benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, indeno(1,2,3-cd)pyrene, dibenzo(a,h)anthracene and benzo(g,h,i)perylene). Quantitation limits for compounds associated with SDMC16 were qualified "UL".

MOTES

- Several compounds failed precision criteria [Percent Difference (%D)] in the continuing calibration. No field samples were impacted and no data were qualified based on these %D outliers.
- No blank contaminants were found in the analyses of the field or method blanks. No data were qualified based on blank contaminants.
- Several samples had recovery of one or more DMCs outside upper QC limits as listed below.
 No positive results from these analyses were reported for compounds associated with these DMCs and no data were qualified based on these outliers.

Samples C02C7, C02D0, C02D1 and SBLKAR C02C8

<u>DMC</u>

4-chloroaniline-d4

٠.

bis(2-chloroethyl)ether-d8, dimethylphthalate-d6 and fluorene-d10

ORIGHIAI.

- Laboratory variances from 1000 ml sample volume for the analyses of all samples are reflected in dilution factors shown on the DSFs.
- Tentatively identified compounds (TICs) were reviewed during data validation. The analyses
 of samples C02C7 and C02C8 had one or more TICs reported. No other samples had TICs
 reported. Laboratory prepared TIC Form Is for samples C02C7 and C02C8 are included in
 Appendix C.
- No target compounds were found in field duplicate samples C02D0/C02D1; no comparison of results can be performed.

All data for Case 34925, SDG C02C7, were reviewed in accordance with Region III Modifications to the National Functional Guidelines for Organic Data Review, September 1994.

ATTACHMENTS

1)	Appendix A	Glossary of Data Qualifier Terms
1) 2) 3)	Appendix B	Data Summary Forms
3)	Appendix C	Tentatively Identified Compounds
4)	Appendix D	Chain-of-Custody Records
5)	Appendix E	Laboratory Case Narrative

DCN: 34925.wpd



Appendix A

Glossary of Data Qualifiers



GLOSSARY OF DATA QUALIFIER CODES (ORGANIC)

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of compounds)

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

NO CODE = Confirmed identification.

- B = Not detected substantially above the level reported in laboratory or field blanks.
- R = Unusable result. Analyte may or may not be present in the sample. Supporting data necessary to confirm result.
- N = Tentative identification. Consider present. Special methods may be needed to confirm its presence or absence in future sampling efforts.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits):

- J = Analyte present. Reported value may not be accurate or precise.
- K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.
- L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.
- UJ = Not detected, quantitation limit may be inaccurate or imprecise.
- UL = Not detected, quantitation limit is probably higher.

OTHER CODES

NJ = Qualitative identification questionable due to poor resolution. Presumptively present at approximate quantity.

۲;

Q = No analytical result.

Opport

Appendix B

Data Summary Forms

DATA SUMMARY FORM: BNA



Case #: 34925

SDG: 00207

HAMBURG OLD GAS STATION

Number of Soil Samples: 0 Number of Water Samples: 4


Ġ

Site: Lab.:

LIBRTY

Sample Number:	C02C7		C02C8		C02D0		C02D1			
Sampling Location :	OGS-FB01		OGS-MW0	1	OGS-RW01		OGS-RW02	2		
Field QC:	Field Biank				Duplicate(C02D1)		Duplicate(C02D0)			
Matrix:	Water		Water		Water		Water			
Units:	ug/L		ug/L		ug/L		ug/L			
Date Sampled:	11/29/2005		11/29/2005		11/29/2005		11/29/2005			
Time Sampled :	12:00	l	11:00		11:30		11:45			
Dilution Factor:	1.08		1.11		1.08		1.05			
Semivolatile Compound CRQL		Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Bertzaki Ese 5.0										No.
								. 6.		Š:
2-Chiorophenoi 5.0 2-Metrophenoi 5.0	***									
2,2-oxybig(1-Chioropropane) 5.0	1		nanc mil In III Manacioco					i		
Acetopticane 5.0 4-Methylghenol 5.0										W W
N-Nitroid in propylamine 5.0								atay d	# * :	\$.01
									ý, 147 j	
leophorone 5.0 2+Brook 5.0										v#3
2,4-Dimethylphenol 5.0	a /		or no periode Laberta	66. 1 6:79 0			2018 of the 12 to 12 to 19		Land	
htst2-City attracy)methere 5.0 2,4-Dichtgophenol 5.0										SJ 11
Neptin 80										
4-Chlorossine 5.0 Heactic dactoris 6.0										
Caprolaction 5.0 4-Critical autologicans 5.0								× ->		3.8 3
2-Methylmohthelene 5.0					***************************************					
Proceding Copyrightens 5.0 2,4,6-Trickforophenol 5.0										
2.4.3-Telegrophungi -20										
1,1'-Siphetyl 5.0 S-Chora Bathelera 5.0										
2-Nitroentine 20 Driveto 600 600										
2,6-Dinitrajpluene 5.0		**********		######################################	x ************************************			**********		, international
Aceres 5.0 S-Nitroentine 20										3370





Case #: 34925

SDG : C02C7

Site :

HAMBURG OLD GAS STATION

Lab.:

LIBRTY

Sampling Location : Field QC:		C02C7 OGS-FB01		C02C8 OGS-MW01		C02D0 OGS-RW01		C02D1 OGS-RW02			
		1	Field Blank				Duplicate(C02D1)		•		
		Water		Water		Water		Duplicate(C02D0) Water			
Units:		ug/L				ug/L		ug/L		ŀ	
Date Sampled:		11/29/2005	;	11/29/2005	;	11/29/2005	-			}	
Time Sampled:		12:00		11:00		11:30		11:45			
Dilution Pagtor:		1,08		1.11	-	1.08		1.05			
Semivolatile Compound	CROL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Fleg
Aceruji Sirve	E.0										
2,4-Dinitrophenol	20	266 C. T. Barrier.							200		
4-Filtergan pa Dibengolgran	20 50		100								
24-De Change	5.0										
Diethylphilinalate	5.0	7 2 30 30 1 200			***********************		1 200 4 - 1 400	1000 100 TOOL 1000 1969.			
Factorial	5.0							- 4			
4-Chloroghenyl-phenylether	5.0	Profesional Company (etc.)	10.96	1.6 (20.225) The control of	55555 02000	mada te di 18 40	0.000000	Alexander of the process			sauctstronse
ANNOUS	20		1000								
4,6-Dinitro 2-methylphenol	20 5.0		88.378						S 35 4 5 1		
N-Mirror Therepterpine 1,2,4,5-Titlrachiorobenzene	5.0				ar es						
4-Cross Carl-pharyletian	5.0					4441633					
*Hexachlogbenzene	5.0							1. ac. u. 1000	.001 0. 338		cones somes
Acceptation	5.0										
Pentachisiophenol	5.0				35.5000000		200000 #.50	la 2000/1000 (1000/000)	01007.4790.000		2,000,000,000
Phone Control	÷5.0				*						
Anthracete Distribute	5.0 5.0		2000				(100 m) N				0.000
Fuorantigne	5.0		7 () ()								
Proces	5.0		700								
Butylbengighthelate	5.0		-0.000 m -000		******		Halling to come	1886 (2000), 21 - 1 2002 (1996)	(700×39000)		**************************************
A.P. C. Company Company	60										
Benzo(e) intracene	5.0										
Chrystal	5.0										
bis(2-Bitraffrexyf)phthelete	5.0								80.00		
Direction of the second of the	6.0 5.0				5						
Benzo(biggerenthene Betzzoig gerathene	5.0 5.0										
Benzo(a) illyrene	5.0	Barri (1864)			UL		40000				
Intend(Cod)pyrese	5.0				u.						
Dibenzo(s.h)anthracene	5.0			A CONTRACTOR CONTRACTOR	UL			manufacture of the control of the co			
Berzok parylene	80				UL						

CRQL = Contract Required Quantitation Limit

*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

To calculate sample quantitation limits: (CRQL * Dilution Factor)

Revised 09/99



Appendix C

Tentatively Identified Compounds

1LCG LOW CONCENTRATION WATER SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

Lab Name: COMPUCHEM

Contract: 68W01043

Lab Code: LIBRTY Case No.: 34925 Client No.:

SDG No.: C02C7

Lab Sample ID: 859702

Date Received: 12/01/2005

Lab File ID: 859702A60

Date Extracted: 12/01/2005

Sample Volume:

900 (ML)

Date Analyzed: 12/03/2005

Concentrated Extract Volume:

1000 (UL)

Dilution Factor: 1.0

Injection Volume: 1.0(UL)

Number TICs found: 1

Manuel 2105 louid. 1								
	CAS NUMBER	COMPOUND NAME	RT	EST. CONC. (UG/L)	Q			
01		UNKNOWN	24.37	5.4				
02		03132107131	21.57					
03								
04								
05								
06 07								
07								
08								
09								
10								
11								
12	· · · · · · · · · · · · · · · · · · ·			_ ,				
13		**************************************		<u> </u>				
14								
15								
16 17								
+								
18 19								
20					 			
$\frac{20}{21}$					1			
55		· · · · · · · · · · · · · · · · · · ·			 			
22					 			
22 23 24 25 26			ļ		 			
55					 			
25					 			
27					 			
28			 		 			
29					 			
30			 		 			
20		<u> </u>	1	I				

FORM I LCSV-TIC

OLC03.2



Appendix D

Chain-of-Custody Records

Organic Traffic Report & Chain of Custody Record

DAS No:

17U. J48

OPK
10 700

		<u> </u>				DAS 140.		10.
Į	Region:	3	Date Shipped:	-412012005 11/30/2005	Chain of Custody Re	cord	Sampler M	8 (85) A
į	Project Code:		Carrier Name:	FedEx			Signature:	Duleia
Į	Account Code:	•	Airbitt:	854086120675	Relinquished By	(Date / Time)	Received By	(Date / Time)
į	CERCLIS ID:		Shipped to:	Liberty Analytical	1000	1300 1400		
Į	Spill ID:	A3ER	Ompped to:	Corporation	1 W Order	1400 1400		
	Site Name/State:	Hamburg Old Gas Station SVOAs/PA		501 Madison Avenue	2		}	
I	Project Leader:	Mark Sindaco		Cary NC 27513 (919) 379-4080	3			
ı	Action:	Removal Assessment		(919) 379-4000				
١	Sampling Co:	Tetra Tech EMI			4			

ORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRES ERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLLECT DATE/TIME	INORGANIC SAMPLE No.	QC Type
C02C7	Potable Well/ Mark Sindaco	L/G	BNA (7)	601 (Ice Only), 602 (Ice Only) (2)	OGS-FB01	S: 11/29/2005 12:00		Field Blank
C02C8	Monitor Well/ Mark Sindaco	IJĠ	BNA (7)	603 (Ice Only), 604 (Ice Only) (2)	OGS-MW01	S: 11/29/2005 11:00		<u></u>
C02D0	Potable Well/ Mark Sindaco	ĽG	BNA (7)	607 (Ice Only), 608 (Ice Only), 609 (Ice Only), 610 (Ice Only), 611 (Ice Only), 612 (Ice Only) (6)	OGS-RW01	S: 11/29/2005 11:30		-
C02D1	Potable Well/ Mark Sindaço	ĽG	BNA (7)	613 (Ice Only), 614 (Ice Only) (2)	OGS-RW02	S: 11/29/2005 11:45		Field Duplicate of C02D0



Shipment for Case Complete? Y	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Chain of Custody Seal Number:
Conprese	C02D0	·	
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G	Shipment iced?
BNA = CLP TCL Semi	volatiles		

TR Number: 3-161183375-112905-0003

REGION COPY

		U.S EP.	A Region III A	alytical Reques	st Form			
RAS CASE #: CT3	3569 34425		DAS #:		NSF #:			
Date: 11/21/05			QAPP/SAP:		Data Valida	tion Lev	cl: JMZ M 3	
Site: HAMBURG	OLD GAS STATION							
Address: 136 WES	T STATE STREET	City: HA	MBURG	State	e: PA			
Latitude: 40.33123	2° north		Longitude: 75.5					
Program: SUPERF		CERCLIS#: P	4N000.306	Activity: RS R	temoval Site Ev	valuation		
Account #: 2006T(3N302DC6CA3ERRS00	Operable Unit:		63 Spill ID: A3E	R			
Preparer: MARIAN		Phone: 610-364		Fax: 610-485-8587		E-mail:	marian.murphy@ttem	i.com
OSC/RPM: GREG		Phone: 215-814		Fax: 610-562-8530		E-mail:	ham.greg@epa.gov	
Site Leader: JOSE	PH GAWARZEWSKI	Phone: 610-36-	4-2135	Fax: 610-485-8587		E-mail:	joseph.gawarzewski@	ttemi.com
EPA CO: LORRIE	MURRAY		Contract Type: START 3		Prime: TETRA TECH EMI Sub:			
		EASTERN						
Analytical TAT: 7		\mathcal{R}	R's by lab	Analytical + Valida		Days		
Ship Date From: 1	1/29/05		<u> </u>	Ship Date To: 12/0	1/05			
Samples	Method .		Parameter		_ 		Matrix	
								
5	CLP SOW OLC03.2	LIBRTY	LC SVOA's				Drinking Water	24238
								
							····	
								<u></u>
								
	_ :							
							· · · · · · · · · · · · · · · · · · ·	
Instruction: Please	email unvalidated data to the	above email addr	esses. Please prov	vide validated data in	electronic form	nat_		



Appendix E

Laboratory Case Narrative



Case:

34925

SDG:

C02C7

Example Calculation for the Semivolatile Fraction

RRF Calculation

RRF=(Ax*Cis)/(Ais*Cx)

Where:

Ax=Area of the characteristic ion (EICP) for the compound to be measured

Ais=Area of the characteristic ion (EICP) for the specific internal standard

Cis=Concentration of the Internal standard

Cx=Concentration of the compound to be measured

Example: Phenol-d5 from SSTD020AC

Ax=	60929
Ais=	41281
Cis=	20
Cx≈	20

RRF=

1.476

Concentration Calculation

Concentration(µg/L)=(Ax*Is*Df*Vf)/(Ais*RRF*Vi*Vt)

Where:

Ax=Area of the characteristic ion (EICP) for the compound to be measured Ais=Area of the characteristic ion (EICP) for the specific internal standard

Is=Amount of the internal standard added, in nanograms

RRF=Relative response factor from the continuing calibration standard

Vt=Total volume of water extracted (in liters)

33

Vf=Extract Volume Vi=Volume injected Df=Dilution factor

Example: Phenoi-d5 from C02C7

Ax=	87461
Ais≂	38853
ls=	20
RRF=	1.476
Vt=	0.925
Vf=	1.0
Vi=	1
Df=	1

Concentration(µg/L)=



U.S. EPA REGION III **Analytical Services & Quality Assurance Branch Environmental Science Center** 701 Mapes Road Fort Meade, Maryland 20755-5350



LABORATORY FINAL RESULTS

HAMBURG OLD GAS STATION

Lab Request #

: REQ06056

Request Form

: DAS R32383

Report prepared on: 12/15/2005

Site contact(s)

: Greg Ham (3HS31)

Joseph Gawarzewski

Approved for release:

ASQAB Representative

ASQAB Contact: Jill Bilyeu, Quality Assurance Officer

Phone: 410-305-2638

E-mail: Bilyeu.Jill@epa.gov

B REQUEST #: REQ06056	TESTS REQUESTED	
INORGANICS	051130	
Metals Analysis	01 02 03 04 x x x x x	
ORGANICS	051130	
	01 02 03 04 05	
Organics by Gas Chromatography	x x x x	
Volatile Organics by Purge & Trap GC/MS	X X X X X	

(X = Test Requested)

USEPA Region III Analytical Services & Quality Assurance Branch

SITE NAME: HAMBURG OLD GAS STATION

LAB REQUEST #: REQ06056

QUALIFIER CODE AND GLOSSARY DEFINITIONS

Qualifier Codes Applied to Sample Results

- B Not detected substantially above (10 times) the level reported in the laboratory or field blanks (includes field, trip, rinsace, and equipment blanks).
- C See report narrative for analyst's comments and observations concerning this result.
- E Value exceeds a theoretically greater value (e.g., dissolved>total, orthophosphate>total phosphorus). However, the difference is within the expected precision of the analytical techniques and is not statistically significant.
- I An interference exists which masks the true response. See report narrative for explanation.
- J The identification of the analyte is acceptable; the reported value is an estimate.
- K The identification of the analyte is acceptable; the reported value may be biased high. The actual value is expected to be less than the reported value.
- The identification of the analyte is acceptable; the reported value may be biased low. The actual value is expected to be greater than the reported value.
- N There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification.
- NJ There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification. The reported value is an estimate.
- NA Not analyzed analysis not performed.
- NR Not requested analysis not requested.
- R The presence or absence of the analyte can not be determined from the data due to severe quality control problems.
 The data are rejected and considered unusable.
- T Tentatively Identified Compound. Identified as a result of a library search using the EPA/NIST Mass Spectral Library. Standards were not used to verify the identity and quantity of the compound. The reported value is an estimate.
- U The analyte was not detected at or above the quantitation limit.
- UJ The analyte was not detected at or above the quantitation limit. The quantitation limit is an estimate.
- UL The analyte was not detected. The quantitation limit is probably higher due to indications of a low bias.
- Sample value below quantitation limit. Quantitation limit reported.

Qualifier Codes Applied to Quality Control Results

- A Quality control value is outside acceptance limits.
- D Sample and/or laboratory duplicate values are below the quantitation limit. No precision data reported.
- TD Spike recovery too dilute for accurate quantitation.

Qualifier Codes Applied to Microbiology Results

- < Less than.
- <= Less than or equal to.</p>
- >= Greater than or equal to.
- > Greater than.

Glossary:

- () Numbers in parentheses are analytical spike recoveries (e.g., post-digestion spikes).
- Numbers in brackets are matrix spike recoveries (e.g., pre-digestion spikes).
- CFU Colony Forming Unit.
- ISF A prepared sample aliquot fortified with a known concentration of target analyte(s) or a representative subset of target analytes and analyzed. Its purpose is to determine whether the sample matrix contributes bias to the analytical results.
- LSF A sample aliquot fortified with a known concentration of analyte(s) or a representative subset of target analytes and carried throughout the entire lab method. It is analyzed to determine whether the sample matrix contributes bias to the analytical results.
- MS/MSD Matrix spike/matrix spike duplicate; a known increment of target analyte added to a sample before preparation or analyses.
- MSA Value obtained by Method of Standard Additions in which calibration standards are prepared in the sample matrix
- (see EPA method 200.9).

 RPD Relative Percent Difference (RPD) is used to measure precision when duplicates are analyzed.
- Rec Percent Recovery (Rec) is an expression of accuracy.



SITE NAME:

HAMBURG OLD GAS STATION

LAB REQUEST # REQ06056

SAMPLE DESCRIPTIONS

Sample #	Station	Description	Matrix	Type	End Collection Date Time
05113001	MW01	OGS-MW01	Drinking Water	GRAB	11/29/2005 11:00
05113002	RW01	OGS-RW01	Drinking Water	GRAB	11/29/2005 11:30
05113003 🤝	RW-02	OGS-RW-02	Drinking Water	GRAB	11/29/2005 11:45
05113004	FB01	OGS-FB01	Aqueous Blank	GRAB	11/29/2005 12:00
05113005	TB01	OGS-TB01	Aqueous Blank	GRAB	11/29/2005 12:15

SITE NAME

: HAMBURG OLD GAS STATION

LAB REQUEST #: REQ06056

INORGANIC ANALYTICAL SAMPLE RESULTS

	SAMPLE NUMBER: STATION ID:	н	13001 W01	R	13002 W01	RI	13003 f~02	r	13004 B01 B BLANK
Metals Analysis	_		*****						
Aluminum		5630	ug/L	<30	ug/L	<30	ug/L	<30	ug/L
Antimony		<2.0	ug/L	<2.0	ug/L	<2.0	ug/L	<2.0	ug/L
Arsenic	MCL	(5.6)	עק/L ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L
Barium		58	ug/L	42	ug/L	42	ug/L	<10	ug/L
Beryllium		<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L
Cadmium		<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L
Calcium		43400	ug/L	40800	ug/L	41200	ug/L	<2000	ug/L
Chromium		6.9	ug/L	<2.0	ug/L	<2.0	ug/L	<2.0	ug/L
Cobalt		14	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L
Copper		16	ug/L	196	ug/L	190	ug/L	<2.0	ug/L
Iron	$\sim M_{\odot}$	19200	ug/L	<100	ug/L	<100	ug/L	<100	ug/L
Lead	Richis	54	ug/L	۾ جي	ug/L	3.6	ug/L	<1.0	ug/L
Magnesium		12200	ug/L		ug/L	9290	ug/L	<2000	ug/L
Manganese		7880	ug/L	TENSE 74	ug/L	73	ug/L	<1.0	ug/L
Nickel		13	ug/L	2.7	ug/L	2.7	ug/L	<1.0	ug/L
Potassium		4690	ug/L	<2000	ug/L	<2000	ug/L	<2000	ug/L
Selenium		<5.0	ug/L	<5.0	ug/L	<5.0	ug/L	<5.0	ug/L
Silver		<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L
Sodium		32000	ug/L	18700	ug/L	18900	ug/L	<2000	ug/L
Thallium		<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L
Vanadium		<1.0	ug/L	<1.0	ug/L	<1.0	ug/L	<1.0	ug/L

D. S. B.

SITE NAME

: HAMBURG OLD GAS STATION

LAB REQUEST #: REQ06056

INORGANIC ANALYTICAL SAMPLE RESULTS

	SAMPLE NUMBER:	05113001	05113002	05113003	05113004
	STATION ID:	MW01	RW01	RW-02	FB01
		SAMPLE	RAMPLE	emole	FIRLD BLANK
Metals Analysis					
Zinc		40 ug/L	16 ug/L	16 ug/L	<2.5 ug/L

SITE NAME:

HAMBURG OLD GAS

STATION

LAB REQUEST #: REQ06056

INORGANIC QUALITY CONTROL RESULTS

| SAMPLE NUMBER: 05113002 05113003 | STATION ID: RW01 RW-02 | Units: RPD | REC

	Units:	RPD	•	REC
Metals Analysis	-			
Aluminum		D	E	97]
Antimony		D	Ę	97]
Arsenic		ם	1	96)
Barium		5	1	93]
Beryllium		D	1	98)
Cadmium		D	t	97]
Calcium		5	I	89]
Chromium		D	[96]
Cobalt		D	Ţ	95]
Copper		6	t	94]
Iron		D	ι	98]
Lead		5	ŧ	106]
Magnesium		6	[96]
Manganese		6	Į.	102]
Nickel		1	ι	91]
Potassium		D	ſ	107]
Selenium		D	ι	98]
Silver		ם	t	94]
Sodium		5	1	95]
Thallium		D	1	96]
Vanadium		D	1	97]
Zinc		6	Ţ	96]
*1 - **				

[] = LSF

() = ISF

Sille



Metals Determinations

Analysts:

R.L. Costas

J.R. Dorsey

Chemist

Chemist

Methods:

Samples from HAMBURG OLD GAS STATION (REQ06056) were prepared for analysis by acid digestion and analyzed by inductively coupled plasma-atomic emission spectrometry (ICP-AES) and inductively coupled plasma-mass spectrometry (ICP-MS) on 12/05/2005. The results are presented in the attached table. The following are the digestion and analytical techniques and methods:

Digestion Methods

BPA Method 200.2 1 and Internal SOP R3-QA155.2

Analytical Methods

EPA Method 200.7¹, analysis by ICP-AES, and Internal SOP R3-QA159.1 EPA Method 200.8¹, analysis by ICP-MS, and Internal SOP R3-QA116.1

NOTE: The reporting limits for some analytes may be higher than requested values due to daily acceptable quality control criteria. Qualified data below the reporting limit may be available upon request.

¹ EPA Methods for the Determination of Metals in Environmental Samples, May 1994.

SITE NAME: F

HAMBURG OLD GAS STATION

LAB REQUEST #: REQUESS

ORGANIC ANALYTICAL SAMPLE RESULTS

303	Sample Number: Station ID:	0511300 MN01 SAMPLI		113002 RW01 AMPLE	0511 RW- SAM		0511 FB FIELD	01	0511: TB: TRIP 1)1
Organics by Gas Chromato	graphy									
Aldrin			7	L ug/L	UL	ug/L	UL	ug/L		
Heptachlor			τ	IL ug/L	UL	ug/L	UL	ug/L		
Acetone Benzene		2 B 0 0.08 B 0	_	B ug/L	3 B 0.06 B	ug/L ug/L	1.6 0.02 J	ug/L ug/L	2.1 0.03 J	ug/L ug/L
		0.08 B u	•			-		ug/L ug/L		ug/L ug/L
Chloroform		0.4 B u		B ug/L	0.07 B 0.05 B	-	0.06 B	-	0.05 B	-
									0.00	
1,4-Dichlorobenzene			•	B ug/L	0.05 B	ug/ <u>L</u>		•	0.1 J	_
1,4-Dichlorobenzene Ethyl Benzene		0.03 B u		B ug/L	0.03 5	097 B	0.2 J 0.2 J	ug/L	0.1 J 0.2 J	ug/L
1,4-Dichlorobenzene Ethyl Benzene Methylene Chloride				B ug/L	0.03 B	39 7 <u>D</u>	0.2 J	ug/L ug/L		ug/L ug/L
1,4-Dichlorobenzene Ethyl Benzene			g/L	B ug/L	0.08 B		0.2 J 0.2 J	ug/L ug/L ug/L	0.2 J	ug/L ug/L ug/L
1,4-Dichlorobenzene Ethyl Benzene Methylene Chloride Naphthalene Toluene		0.03 B u	g/L	B ug∕L			0.2 J 0.2 J 0.3 J	ug/L ug/L ug/L	0.2 J 0.3 J	ug/L ug/L ug/L
1,4-Dichlorobenzene Ethyl Benzene Methylene Chloride Naphthalene Toluene		0.03 B u	g/L g/L g/L	B Ug∕L			0.2 J 0.2 J 0.3 J	ug/L ug/L ug/L ug/L	0.2 J 0.3 J	ug/L ug/L ug/L ug/L

SIN SIN

SITE NAME:

HAMBURG OLD GAS STATION

LAB REQUEST #: REQ06056

ORGANIC QUALITY CONTROL (SURROGATE RECOVERIES)

Matrix:	WATER						
		SAMPLE NUMBER:	05113001	05113002	05113003	05113004	05113005
	w _y	STATION ID:	MN01	RW01	RW-02	FR01	TB01
SURROGAT	<u>ES</u>	LIMITS	INCLE	SAMPLE	<u> \$33071.8</u>	FIELD BLANK	TRIP BLANK
Organics 1	by Gas Chromatography	Range	4 REC	* REC	1 REC	* REC	* REC
Decachlo	robiphenyl	(30-150)		115	106	98	
Tetrachlo	oro-M-Xylene	(30-150)		90	95	88	
Volatile (Organics by Purge & Trap GC/HS	Range	* REC	* REC	* REC	* REC	* REC
Bromoflu	orobenzene	(86-115)	103	103	99	104	100
d4-1,2-D	ichloroethane	(76-114)	104	102	104	103	101
d8-Toluer	ne	(88-110)	99	99	101	100	100

SITE NAME : HAMBURG OLD GAS STATION

LAB REQUEST # : REQ06056

ORGANIC QUALITY CONTROL (MATRIX SPIKE RECOVERIES)

Matrix : WATER

SAMPLE NUMBER : 05113002

STATION ID :

RN01

١	*					
l	<u>ANALYTES</u>	Spike	Recovery	Recovery	RPD	
		<u>ms</u>	MSD	Limits	RPD	Limits
	Organics by Gas Chromatography	•	•	Range	RPD	Limit
ŀ	Aldrin					
l	alpha BHC					
	alpha Chlordane					
	beta BHC					
١	4,4'~DDD					
١	4,4'-DDE				•	
l	4,4'-DDT					
Ì	delta BHC					
	Dieldrin					
ľ	En d osulfan Sulfate					
	Engosulfan-I					
	Endosulfan-II					
	Endrin					
	Endrin Aldehyde					
ļ	Endrin Ketone					
ļ	gamma BHC (Lindane)					
ļ	gamma Chlordane					
ļ	Heptachlor					
	Heptachlor Epoxide					
	Methoxychlor					
l					700	Limit
	Volatile Organics by Purge & Trap GC/MS	4	•	Range	RPD	11
	Benzene	101	96	(76-127)	5	13
	Chlorobenzene	99	97	(75-130)	2	
	1,1-Dichloroethene	102	99	(61-145)	4	14
	Toluene	101	95	(76-125)	6	13
1	Trichloroethene	100	94	(71-120)	6	14



SITE NAME

: HAMBURG OLD GAS STATION

LAB REQUEST # : REQ06056

ORGANIC QUALITY CONTROL (MATRIX SPIKE RECOVERIES)

Matrix : WATER

SAMPLE NUMBER :

05113004

STATION ID :

FB01

₩					
ANALYTES	Spike	Recovery	Recovery	RPD	
	<u>ms</u>	MSD	<u>Limits</u>	RPD	Limits
Organics by Gas Chromatography	•	•	Range	RPD	Limit
Aldrin	41	20 A	(40-120)	71 A	22
alpha BHC	103	92		11	
alpha Chlordane	96	77		22	
beta BHC	122	114		6	
4, 4'-DDD	116	109		6	
4,4'-DDE	105	86		20	
4,4'-DDT	118	109	(38-127)	8	27
delta BHC	115	104		10	
Dieldrin	116	105	(52-126)	10	18
En ço sulfan Sulfate	124	121		3	
En@sulfan-I	108	95		14	
Endosulfan-II	127	126		1	
Endrin	116	106	(56-121)	9	21
Endrin Aldehyde	204 A	201 A		1	
Endrin Ketone	132	127		4	
gamma BHC (Lindane)	114	100	(56-123)	14	15
gamma Chlordane	97	75	(50-150)	26 A	
Heptachlor	66	44	(40-131)	40 A	20
Heptachlor Epoxide .	102	84		20	
Methoxychlor	119	114		4	
Volatile Organics by Purge & Trap GC/MS	4	٠,	Range	RPD	Limit

Benzene

Chlorobenzene

1,1-Dichloroethene

Toluene

Trichloroethene

A PROPERTY OF THE PROPERTY OF

SITE NAME:

HAMBURG OLD GAS STATION

LAB REQUEST #: REQ06056

ORGANIC LABORATORY REAGENT BLANK RESULTS

Organics by Gas Chromatography

Date Prepared: NOV-30-2005

SURROGATES

Decachlorobiphenyl 62 % REC
Tetrachloro-M-Xylene 67 % REC

U.S. EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH LAS REQUEST #: REQ06056 ORGANIC LABORATORY REAGENT BLANK RES

ORGANIC LABORATORY REAGENT BLANK RESULTS

Volatile Organics by Purge & Trap GC/MS

Date Prepared: NOV-30-2005

SURROGATES			<u>ANALYTES</u>		
Bromofluorobenzene	101	* REC	1,2,4-Trichlorobenzene	0.09 J	ug/L
d4-1,2-Dichloroethane	98	• REC	1,3-Dichlorobenzene	0.02 J	ug/L
d8-Toluene	99	N REC	1,4-Dichlorobenzene	0.04 J	ug/L

SITE NAME:

HAMBURG OLD GAS STATION

LAB REQUEST #:

REQ06056

SUPPLEMENTAL SAMPLE INFORMATION

Organics by Gas Chromatography

SAMPLE #	SAMPLE NOL FACTOR
05113001	.21
05113002	.2
05113003	. 2
05113004	.22

Volatile Organics by Purge & Trap GC/MS

SAMPLE #	NOL FACTOR
05113001	1
05113002	1
05113003	1
05113004	1
05113005	1

NQL Factor is an overall correction factor applied to the method's Nominal Quantitation Limit to correct for analytical adjustments made during the analysis.





Pesticide/PCB Analysis by Gas Chromatography

Analyst:

Arnold Turner Chemist

Method:

Two aqueous samples and a field reagent blank from HAMBURG OLD GAS STATION (REQ06056) were analyzed for organochlorine pesticides and polychlorinated biphenyls (PCBs) by capillary gas chromatography – electron capture detector. The samples were collected on November 29, 2005. The samples were extracted by continuous liquid-liquid extraction on November 30, 2005, according to SOP R3QA-219.3. The samples were analyzed December 5, 2005, according to SOP R3-QA207.3, which is consolidated method derived from EPA methods NPDES 608, RCRA 8081B & 8082A, and CLP OLM04.2 & OLC03.2.

The sample extracts were concentrated five-fold their normal final volume in order to achieve the requested quantitation limits. Only detected results are reported. No target analytes were detected.

Quality Control:

All initial calibration acceptance criteria were met except for endrin aldehyde in the second source initial calibration verification standard. This analyte was not detected in any of the samples. All calibration verification standards met acceptance criteria.

Due to a laboratory accident, sample 051130-01 was not analyzed.

All surrogate recoveries were within acceptance limits (30-150%). Unless indicated otherwise, acceptance limits for matrix spike recoveries and relative percent difference (RPD) values are 50 - 150% and $\le 25\%$, respectively. Matrix spike recoveries and RPD values that were outside of acceptance limits were qualified with an "A". A blank matrix was spiked with the full suite of single component organochlorine pesticides. Percent recoveries for heptachlor and aldrin were below acceptance limits (70-130%); non-detects in the samples were qualified with a "UL".



Volatile Organic Analysis by GC/MS

Analyst:

Peggy Zawodny Environmental Scientist

Method:

Samples from HAMBURG OLD GAS STATION (REQ06056) were analyzed for the presence of volatile organic compounds amenable to purge and trap and identifiable by mass spectrometry. The samples were collected on November 29 and analyzed on November 30, 2005, according to SOP R3-QA210.4 which is a consolidated method derived from EPA methods SDWA 524.2, NPDES 624, RCRA 5030/8260 and the Superfund CLP Statement of Work.

The nominal quantitation limit (NQL) for each compound is as listed in the attached table, except 2-butanone (2 ug/L).

There were no tentatively identified compounds detected.



USEPA- Region III Analytical Services and Quality Assurance Branch (ASQAB) Volatile Organics Analysis - Low Level Aqueous Nominal Quantitation Limits (NQL)

Units: Water = ug/L

NPTC = Non-Priority Pollutant Target Compound

Actual Quantitation Limit = (NQL Factor) X NQL

CAS#	ANALYTE		NQL	CAS#	ANALYTE		NQL
6 7-6 4-1	Acetone	NPTC	1	563-58-6	1,1-Dichloro-1-propene	NPTC	0.5
71-43-2	Benzene		0.5	10061-01-5	cis-1,3-Dichloropropene		0.5
1 08-8 6-1	Bromobenzene	NPTC	0.5	10061-02-6	trans-1,3-Dichloropropene		0.5
7 4-9 7-5	Bromochloromethane	NPTC	0.5	100-41-4	Ethylbenzene		0.5
7 5-2 7-4	Bromodichloromethane		0.5	87-68-3	Hexachlorobutadiene		0.5
7 5-2 5-2	Bromoform		0.5	591-78-6	2-Hexanone	NPTC	-
7 4-83 -9	Bromomethane		0.5	98-82-8	Isopropylbenzene	NPTC	0.5
7 8-93 -3	2-Butanone	NPTC	1	99-87-6	p-Isopropyitoluene	NPTC	0.5
1 04- 51-8	n-Butylbenzene	NPTC	0.5	79-20-9	Methyl Acetate	NPTC	0.5
1 35-9 8-8	sec-Butylbenzene	NPTC	0.5	1634-04-4	Methyl tert-Butyl Ether (MTBE)	NPTC	0.5
98-06 -6	tert-Butylbenzene	NPTC	0.5	108-87-2	Methyl Cyclohexane	NPTC	0.5
7 5-1 5-0	Carbon Disulfide	NPTC	0.5	75-09-2	Methylene Chloride		0.5
56-2 3-5	Carbon Tetrachloride		0.5	108-10-1	4-Methyl-2-pentanone	NPTC	1
1 08-9 0-7	Chlorobenzene		0.5	91-20-3	Naphthalene		0.5
7 5-0 0-3	Chloroethane		0.5	103-65-1	n-Propylbenzene	NPTC	0.5
6 5-6 6-3	Chloroform		0.5	100-42-5	Styrene	NPTC	ı
7 4-8 7-3	Chloromethane		0.5	630-20-6	1,1,1,2-Tetrachloroethane	NPTC	0.5
9 5-4 9-8	2-Chlorotoluene	NPTC	0.5	79-34-5	1,1,2,2-Tetrachloroethane		0.5
1 06-4 3-4	4-Chlorotoluene	NPTC	0.5	127-18-4	Tetrachloroethene		0.5
110-82-7	Cyclohexane	NPTC	0.5	87-61-6	1,2,3-Trichlorobenzene	NPTC	0.5
1 24- 48-1	Dibromochloromethane		0.5	120-82-1	1,2,4-Trichlorobenzene		0.5
9 6- 12-8	1,2-Dibromo-3-chloropropane	NPTC	0.5	71-55-6	1,1,1-Trichloroethane		0.5
1 06- 93-4	1,2-Dibromoethane(EDB)	NPTC	0.5	79-00-5	1,1,2-Trichloroethane		0.5
7 4-9 5-3	Dibromomethane	NPTC	0.5	79-01-6	Trichloroethene		0.5
9 5, 50-1	1,2-Dichlorobenzene		0.5	75-69-4	Trichlorofluoromethane	NPTC	0.5
541-7 3-1	1,3-Dichlorobenzene		0.5	96-18-4	1,2,3-Trichloropropane	NPTC	0.5
106-4 6-7	1,4-Dichlorobenzene		0.5	76-13-1	1,1,2-Trichloro-1,2,2-trifluoroeth (Freon 113)	nane NPTC	0.5
7 5- 71-8	Dichlorodifluoromethane	NPTC	0.5	93-63-6	1,2,4-Trimethylbenzene	NPTC	0.5
7 5-3 4-3	1,1-Dichloroethane		0.5	108-67-8	1,3,5-Trimethylbenzene	NPTC	0.5
107- 06-2	1,2-Dichloroethane		0.5	108-88-3	Toluene		0.5
75-3 5-4	1,1-Dichloroethene		0.5	108-05-4	Vinyl Acetate	NPTC	0.5
1 56- 59-2	cis-1,2-Dichloroethene	NPTC	0.5	75-01-4	Vinyl Chloride		0.5
1 56- 60-5	trans-1,2-Dichloroethene		0.5	108-38-3	m-Xylene (m & p isomers	NPTC	1
78-8 7-5	1,2-Dichloropropane		0.5	106-42-3	p-Xylene together)	NPTC	ļ
1 42- 28-9	1,3-Dichloropropane	NPTC	0.5	95-47-6	o-Xylene	NPTC	11
594-2 0-7	2,2-Dichloropropane	NPTC	0.5				

110-75-8 2-Chloroethylvinyl ether (NQL = 1) will be analyzed upon request for samples preserved by chilling to 4C (no addition of acid).

The "Nominal Quantitation Limit" factor is an overall correction factor applied to the method's NQLs to account for sample dilutions. For example, if the NQL factor for a water sample is 2, the Actual Quantitation Limit for vinyl chloride would be 1 ug/L (i.e., 2 x 0.5 ug/L).

Rev. July 22, 2005



USEPA - Region III Analytical Services and Quality Assurance Branch (ASQAB) Pesticide and PCB Analysis Nominal Quantitation Limits (NQL) Matrix: Aqueous Units: µg/L

Actual Quantitation Limit = (NQL Factor) X NQL

CAS Number	Pesticide	NQL	CAS Number	РСВ	NQL
30 9-00-2	Aldrin	0.05	12674-11-1	Aroclor 1016	1.0
3 19-84-6	alpha-BHC	0.05	11104-28-2	Aroclor 1221	1.0
3 19-85-7	beta-BHC	0.05	11141-16-5	Aroclor 1232	1.0
3 1-86-8	delta-BHC	0.05	53469-21-9	Aroclor 1242	1.0
58 -89-8	gamma-BHC (Lindane)	0.05	12672-29-6	Aroclor 1248	1.0
5 103-71-9	alpha-Chlordane	0.05	11097-69-1	Aroclor 1254	1.0
5 103-74-2	gamma-Chlordane	0.05	11096-82-5	Aroclor 1260	1.0
5 7-74-9	Chlordane	1.0			
72 -54-8	4,4'-DDD	0.10			
7 2-55-9	4,4'-DDE	0.10			
5 0-29-3	4,4'-DDT	0.10			
6 0-57-1	Dieldrin	0.10			
9 59-98-8	Endosulfan I	0.05			
3 3213-65-9	Endosulfan II	0.10			
1 031-07-8	Endosulfan Suifate	0.10			
72 -20-8	Endrin	0.10			
7 421-93-4	Endrin Aldehyde	0.10			
5 3494-70-5	Endrin Ketone	0.10			
7 6-44-8	Heptachlor	0.05			
1024-57-3	Heptachlor Epoxide	0.05			
7 2-43-5	Methoxychlor	0.5			
8 001-35-2	Toxaphene	5.0			

The "Nominal Quantitation Limit" listed for each target compound is based on the Superfund CLP Protocol. The Actual Quantitation Limits are related to the NQLs by the NQL Factor. This NQL Factor reflects procedural steps, e.g., extract dilution, which influence quantitation limits.

£

Revised March 26, 2004

8	EF	A
---	----	---

USEPA Contract Laboratory Program Organic Traffic Report & Chain of Custody Record

Case	No:
DAS N	o:

SDG No:

D	2つ	3	R:	2

ı	
ı	
ı	
1	

Date Shipped: Carrier Name:	11/29/2005			Sampler Signature: 12		For Lab Use Only	7
Airbill:	FedEx 854086120664	Refinquished By	(Date / Time)	Received By	(Date / Time)	Lab Contract No:	
Shipped to:	US EPA Region 3 OAS/QA	1 Mil Serley	11/79/05/1905	mety zur	11/30/05 12/30	Unit Price:	
Silipped to.	Environmental Science	2	1116	V		Transfer To:	
-7	Cente 701 Mapes Road	3				Lab Contract No:	
	Fort George Meade MD 20755	4				Lab Contract No:	

L.	(440) 000 0000				Office.				
	ORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLLECT DATE/TIME	INORGANIC SAMPLE No.	
	C02C1	Monitor Well/ Mark Sindaco	L∕G	PEST (7), VOA (7)	558 (Ice Only), 559 (Ice Only), 560 (HCL), 561 (HCL), 562 (HCL) (5)	OGS-MW01	S: 11/29/2005 1	1:00 MC02C1	05113001
	C02C2	Potable Well/ Mark Sindaco	L∕G	PEST (7), VOA (7)	566 (Ice Only), 567 (Ice Only), 568 (Ice Only), 569 (Ice Only), 570 (Ice Only), 571 (Ice Only), 572 (HCL), 573 (HCL), 574 (HCL), 57 (HCL), 576 (HCL), 577 (HCL), 578 (HCL), 579 (HCL), 580 (HCL) (15)		S: 11/29/2005 1	1:30 MC02C2	ΘZ
20 of 22	C02C3	Potable Well/ Mark Sindaco	IJG	PEST (7), VOA (7)	583 (ice Only), 584 (ice Only), 585 (HCL), 586 (HCL), 587 (HCL) (5)	OGS-RW-02	S: 11/29/2005 1	1:45 MC02C3	03
2	C02C4	Potable Well/ Mark Sindaco	IJG	PEST (7), VOA (7)	590 (Ice Only), 591 (Ice Only), 592 (HCL), 593 (HCL), 594 (HCL) (5)	OGS-FB01	S: 11/29/2005 1	2:00 MC02C4	64
	C02C6	Potable Well/ Mark Sindaco	มG	VOA (7)	598 (HCL), 599 (HCL), 60 (HCL) (3)	0 OGS-TB01	S: 11/29/2005 1	2:15	05

Shipment for Case Complete?y	Sample(s) to be used for laboratory QC: C02C2	Additional Sampler Signature(s):	Cooler Temperature Upon Receipt:	Chain of Custody Seal Number:		
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = 0	;	Custody Seal Intact? Shipment Iced?		
PEST = CLP TCL Pe	esticide/PCBs, VOA = CLP TCL Volatiles					

TR Number: 3-161183375-112905-0002
PR provides preliminary results. Requests for preliminary results will increase analytical costs.

LABORATORY COPY
F2V5.1. 043 Page 1 of 1

A	F	PΔ
v	<u> </u>	

USEPA Contract Laboratory Program Inorganic Traffic Report & Chain of Custody Record

Case No:		
DAS No:	R32383	- 1
SDG No:		

						3D3 No.	
Date Shipped:	11/29/2005	Chain of Custody R	ecord	Sampler	S. I.	For Lab Use Onl	y
Carrier Name:	FedEx	Relinquished By	(Date / Time)	Received By	(Date / Time)	Lab Contract No:	
Airbill: Shipped to:	854086120664 US EPA Region 3 OAS/QA	1 92 Sal	11/24/05/1900	Neet ma	11/30/05 12:30	Unit Price:	
	Environmental Science	2		1 0			
,	Cente 701 Mapes Road	3				Transfer To:	
	Fort George Meade MD			+		Lab Contract No:	
	20755	4				Unit Price:	

	INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLLECT DATE/TIME	ORGANIC SAMPLE No.	FOR LAB USE ONLY Sample Condition On Receipt
,	MC02C1	Monitor Well/ Mark Sindaco	ΝG	CN (7), Metals (7)	563 (NaOH), 564 (HNO3) (2)	OGS-MW01	S: 11/29/2005 11:00	C02C1	10061120
	MC02C2	Potable Well/ Mark Sindaco	Πœ	CN (7), Metals (7)	581 (NaOH), 582 (HNO3) (2)	OGS-RW01	S: 11/29/2005 11:30	C02C2	02113005
	MC02C3	Potable Well/ Mark Sindaco	L∕G	CN (7), Metals (7)	588 (NaOH), 589 (HNO3) (2)	OGS-RW-02	S: 11/29/2005 11:45	C02C3	05113003
	MC02C4	Potable Well/ Mark Sindaco	ŊĠ	CN (7), Metals (7)	595 (NaOH), 596 (HNO3) (2)	OGS-FB01	S: 11/29/2005 12:00	C02C4	40061120
21 of 22	MC02C5	Potable Well/ Mark Sindaco	L∕G	Lead Arsen (7)	597 (HNO3) (1)	OGS-RB01	S: 11/29/2005 15:30		05 113006 MV

11(30(05

Shipment for Case Complete?y	Sample(s) to be used for laboratory QC: MC02C2	Additional Sampler Signature(s):	Cooler Temperature Upon Receipt:	Chain of Custody Seal Num	ber:
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = G		Custody Seal Intact?	Shipment Iced?
CN = Cyanide 1 ead Ar	sen = ICP AES (Pb. As. Sh) Metals = ICPMS + ICP	AES (Al. Ca. Fe. K. Mg. Na) +	· · · · · · · · · · · · · · · · · · ·		

TR Number: 3-161183375-112905-0001
PR provides preliminary results. Requests for preliminary results will increase analytical costs.

LABORATORY COPY F2V5.1.043 Page 1 of

2'4

Fedex. US Airbill	0300
Express 8540 8612 0664	FedEx Retrieval Copy
1 From Sender's FedEx 2445 1440 5	4a Express Package Service to old SATURDAY Delivery, see Section 6. Packages up to 199 fbs: 1 FedEx Priority Overnight 5 FedEx Standard Overnight Sent business information S
Sender's Dark Sindaco Phone 267 446 2445	3 FedEx 2Day 20 FedEx Express Sever 7- FedEx Express Sever 7- FedEx Express Sever 7- FedEx Express Sever
COMPANY Telse Tech EMI	4b Express Freight Service To add SATURDAY Dollvory, see Section 8. Packages over 199 lbs.
Address 2 State St	7
con Hankurs som PE 21 19526	5 Packaging 6 FedEx Pak* 1 FedEx Pak* 1 FedEx Pak* 1 FedEx 1 Other Tube 1 FedEx 1 Tube
2 Your Internal Billing Reference 90030010509001	6 Special Handling holds bulk prince in Section 3
Name PGT Source Phone 410 305 3667	3 SATURDAY Delivery Available ORV for Folia Primity Available ORV for Folia Primity Deverying, Folia: Style Folia Dev Frieglist, and Folia: 20vy Frieglist is select 20vy Frieglist in select 20vy Frieglist for select 20vy Folia Fried Deverying 31 MOLD Salterday at Folia County Deverying at Folia Dev Deverying Dever
Company U.S. EPA OASOA Lab Region 3	Does this shipmost centain despersor greate? Does the shipmost centain despersor greate? Does the mate to element Despersor must be of the shipmost centain and representation. Shippost Description of the shippost of th
Recipient's 701 Degree R. R. Days, Proof Sala Record Recipient to P.O. boxes or P.O. 200 Cedex Rose	7 Payment Bill lo: Searched Act No. or Credit Cord No. below. Obtain Recip. Act. No. 1 Section 1 visit to the Cordit Cord No. or Credit Cord No. Deliver No. Deliv
Actioness To respect a participa his held at a specific Fodici location, print Fodic relations have.	
Con Ft George Deade som Md 20 26755	Forg Area No. Conf. Conf

6540 8612 0864	No Signature 10 Direct Signature 34 Indirect Signature Required Arytes at neighbors 34 Indirect Signature Required Arytes at neighbors for delivery. And applied for delivery and the substance of continuing a signature An applied for delivery. Not desired for the register of the substance of a neighbors delivery and page 10 for delivery. Not desired for the register of the substance of the applied of the substance of the substan

(S) NO

ALC: NO.

22 of 22



U.S. EPA REGION III **Analytical Services & Quality Assurance Branch Environmental Science Center** 701 Mapes Road Fort Meade, Maryland 20755-5350



LABORATORY FINAL RESULTS

HAMBURG OLD GAS STATION

Lab Request #

: REQ06057

Request Form

: DAS R32383

Report prepared on: 12/21/2005

Site contact(s)

Greg Ham (3HS31)

Joseph Gawarzewski

Approved for release:

ASQAB Representative

ASQAB Contact: Jill Bilyeu, Quality Assurance Officer

Phone: 410-305-2638

E-mail: Bilyeu.Jill@epa.gov

SITE NAME:

HAMBURG OLD GAS STATION

LAB REQUEST # REQ06057

SAMPLE DESCRIPTIONS

Semple #	<u>Ptation</u>	Description	Matrix	3 ype	End Collection Date Time
05113006	MW01	OGS-MW01	Drinking Water	GRAB	11/29/2005 11:00
05113007	RW01	OGS-RW01	Drinking Water	GRAB	11/29/2005 11:30
05113008 🛶	RW-02	OGS-RW-02	Drinking Water	GRAB	11/29/2005 11:45
05113009	FB01	OGS-FB01	Drinking Water	GRAB	11/29/2005 12:00
05113010	RB01	OGS-RB01	Drinking Water	GRAB	11/29/2005 15:30
05120213	OGS-SS-019	OGS-SS-019	Soil	GRAB	11/30/2005 10:51
05120214	OGS-SS-004	OGS-SS-004	soil	GRAB	11/29/2005 14:41
05120215	OGS-SS-006	OGS-SS-006	Soil	GRAB	11/29/2005 14:44
05120216	OGS-SS-020	OGS-SS-020	Soil	GRAB	11/30/2005 10:53
05120217	OGS-SS-016	OGS-SS-016	Soil	GRAB	11/30/2005 10:47

REQUEST #: REQ06057	TESTS REQUESTED	
CHORGANICS	051130	
	06 07 08 09 10	
Metals Analysis		
Total Cyanida	x x x x	
Inorganics	051202	
	13 14 15 16 17	
Metals Analysis	XXXXX	

(X = Test Requested)

USEPA Region III Analytical Services & Quality Assurance Branch

SITE NAME: HAMBURG OLD GAS STATION

LAB REQUEST 4: REQ06057

QUALIFIER CODE AND GLOSSARY DEFINITIONS

Qualifier Codes Applied to Sample Results

- Not detected substantially above (10 times) the level reported in the laboratory or field blanks (includes field, trip, rinsate, and equipment blanks).
- C See report narrative for analyst's comments and observations concerning this result.
- Value exceeds a theoretically greater value (e.g., dissolved>total, orthophosphate>total phosphorus). However, the difference is within the expected precision of the analytical techniques and is not statistically significant.
- T An interference exists which masks the true response. See report narrative for explanation.
- The identification of the analyte is acceptable; the reported value is an estimate.
- The identification of the analyte is acceptable; the reported value may be biased high. The actual value is expected to be less than the reported value.
- The identification of the analyte is acceptable; the reported value may be biased low. The actual value is expected to be greater than the reported value.
- There is presumptive evidence that the analyte is present, the analyte is reported as a tentative identification.
- There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification. The reported value is an estimate.
- Not analyzed analysis not performed.
- Not requested analysis not requested.
- The presence or absence of the analyte can not be determined from the data due to severe quality control problems.
- The data are rejected and considered unusable.
- Tentatively Identified Compound. Identified as a result of a library search using the EPA/NIST Mass Spectral Library. Standards were not used to verify the identity and quantity of the compound. The reported value is an estimate.
- The analyte was not detected at or above the quantitation limit.
- The analyte was not detected at or above the quantitation limit. The quantitation limit is an estimate.
- The analyte was not detected. The quantitation limit is probably higher due to indications of a low bias.
- Sample value below quantitation limit. Quantitation limit reported.

Qualifier Codes Applied to Quality Control Results

- Quality control value is outside acceptance limits.
- Sample and/or laboratory duplicate values are below the quantitation limit. No precision data reported.
- Spike recovery too dilute for accurate quantitation.

Qualifier Codes Applied to Microbiology Results

- Less than or equal to.
- Greater than or equal to.
- Greater than.

Glossary:

- Numbers in parentheses are analytical spike recoveries (e.g., post-digestion spikes).
- Numbers in brackets are matrix spike recoveries (e.g., pre-digestion spikes).
- CFU
- ISF A prepared sample aliquot fortified with a known concentration of target analyte(s) or a representative subset of target analytes and analyzed. Its purpose is to determine whether the sample matrix contributes bias to the analytical results.
- A sample aliquot fortified with a known concentration of analyte(s) or a representative subset of target analytes and carried LSF throughout the entire lab method. It is analyzed to determine whether the sample matrix contributes bias to the analytical results.
- MS/MSD Matrix spike/matrix spike duplicate; a known increment of target analyte added to a sample before preparation or analyses.
- Value obtained by Method of Standard Additions in which calibration standards are prepared in the sample matrix MSA
- (see EPA method 200.9).
- RPD Relative Percent Difference (RPD) is used to measure precision when duplicates are analyzed.
- *Rec Percent Recovery (%Rec) is an expression of accuracy.



SITE NAME : HAMBURG OLD GAS STATION

LAB REQUEST #: REQ06057

INORGANIC ANALYTICAL SAMPLE RESULTS

Metals Analysis	SAMPLE NUMBER: STATION ID:	05113006 MM01 SNOTE	05113007 RM01 sample	05113008 RM-02 BAMPLE	05119009 FB01 FIRED BLANK	05113010 RB01 RIMSATE
Antimony						< 60 ug/L
Arsenic						< 40 ug/L
Lead						< 50 ug/L
Mercury		< 0.2 ug/L	< 0.2 ug/L	< 0.2 ug/L	< 0.2 ug/L	
Total Cyanide						
Cyanide		<0.01 mg/L	<0.01 mg/L	<0.01 mg/L	<0.01 mg/L	

SITE NAME : 1

: HAMBURG OLD GAS STATION

LAB REQUEST #: REQ06057

INORGANIC ANALYTICAL SAMPLE RESULTS

	STATION ID:	05120213 OGS-SS-019 EMOLE	05120214 OGS-85-004 SMOLE	05120215 0GS-55-006 EMBLE	05120216 038-88-020 8307-2	05120217 OGS-88-016 SMGLE
Metals Analysis				-		
Antimony		<12 C ug/g	12.2 ug/g	<12 C ug/g	<12 C ug/g	<12 C ug/g
Arsenic		14.2 ug/g	13.5 ug/g	16.8 ug/g	14.6 ug/g	15.6 ug/g
Lead		544 ug/g	438 ug/g	542 ug/g	550 ug/g	534 ug/g
Mercury						
otal Cyanide						

Cyanide

U.S EPA REGION III ANALYTICAL SERVICES & QUALITY ASSURANCE BRANCH

SITE NAME:

HAMBURG OLD GAS

STATION

LAB REQUEST #: REQ06057

INORGANIC QUALITY CONTROL RESULTS

		HOMESTIAC SOL	111 0001100	100210		
	SAMPLE MREER: STATION ID:	05113006 10 001	05113007 RW01	05113008 RW-02	05113010 RB 01	•
			•			
	Units:	RPD	& REC	RPD	* REC	RPD
Metals Analysis "						
Antimony					[100]	D
Arsenic					[105]	D
Lead					[101]	D
Mercury			[112]	D		
Total Cyanide					-	
Cyanide		D	[99]			

SITE NAME:

HAMBURG OLD GAS

STATION

LAB REQUEST #: REQ06057

INORGANIC QUALITY CONTROL RESULTS

	SMOTE WINDER:		05120213	05120214	
	STATION ID:	OG	S-8S-019	OGS-SS-004	
•	Unita:	•	REC	RPD	
Metals Analysis					
Antimony		t	78]	0	
Arsenic		ſ	107]	15	
Lead		{	TD]	8	
Mercury					
Total Cyanide					
Cyanide					
[] = LSF					
() = ISP					

o or

O'leglo



Inorganic Page: 1

Total Cyanide Determinations

Analyst:

Donald M. Brown LMES Chemist

Method:

Four (4) aqueous samples from HAMBURG OLD GAS STATION (REQ06057) were prepared for analysis using the Midi-Distillation System and analyzed for Total Cyanide (CN⁻) December 6, 2005, by semi-automated colorimetry. The sample and quality control results are presented in the attached tables. The following are the analytical method and internal SOP employed:

Analytical Methods

EPA Method 335.4(1), "Determination of Total Cyanide by Semi-Automated Colorimetry."

Internal SOP R3-QA170.0, "Total Cyanide Analysis of Aqueous and Solid Samples."

(1) Methods for Chemical Analysis of Water and Wastes, EPA 600/4-79-020.



Inorganic Page: 2

Antimony (Sb), Arsenic (As) and Lead (Pb) Determinations

Amalyst:

F. Khan LMES Chemist

Methods:

One (1) aqueous and five (5) soil samples from HAMBURG OLD GAS STATION (REQ06057) were prepared for analyses by acid digestion and analyzed for antimony (Sb), arsenic (As) and lead (Pb) by inductively coupled plasma-atomic emission spectrometry (ICP-AES) December 6, 2005. The sample and quality control results are presented in the attached tables. The following are the digestion, analytical techniques, and methods employed:

Digestion Methods

EPA Method 200.2 (1) and Internal SOP R3-QA155.2, metals digestion procedure.

Analytical Methods

EPA Method 200.7 (1) and Internal SOP R3-QA159.1, metals by ICP-AES.

(1) EPA Methods for the Determination of Metals in Environmental Samples, May 1994.

Notes:

The soil samples were received as fine, dried particulates. Therefore, percent dry weight determinations were not necessary and these samples were digested "as received".

The "C" qualifier code was applied to the antimony (Sb) result for samples 05120213, 05120215, 05120216 and 05120217 because the detection limit has been raised due to matrix interferences.



Inorganic Page: 3

Mercury Determinations

Analyst:

Paul Karl LMES Chemist

Method:

Four (4) aqueous samples for HAMBURG OLD GAS STATION (REQ06057) were prepared for analysis by potassium permanganate-potassium persulfate digestion and analyzed December 6, 2005 for Mercury (Hg) by cold vapor atomic absorption spectrometry (CV-AAS). The sample and quality control (QC) results are presented in the attached tables. The following are digestion and analytical techniques and methods employed.

Analytical Methods

EPA Methods 245.1 (1) and Internal SOP R3-QA131.6, Total Mercury using the Leeman PS200 II Mercury Analyzer.

(1) Methods for Chemical Analysis of Water and Wastes, EPA 600/4-79-020.

\$	E	PA
----	---	----

USEPA Contract Laboratory Program Inorganic Traffic Report & Chain of Custody Record

ase t	No:	
AO 11-		_

R32383

	znorgame trans				SDG No:	L_ _
Date Shipped: Carrier Name:	11/29/2005	Chain of Custody Record	Sampler 9 Signature:	Ul Sudar	For Lab Use Only	
	FedEx	Relinquished By (D	ate / Time) Received By	(Date / Time)	Lab Contract No:	_
Airbill: Shipped to:	854086120664 US EPA Region 3 OAS/QA	1 12 Syl 11/2		مرندا دهامدا۱۱ سیم	Unit Price:	
_	Environmental Science Cente	2 Metity 1	30/0514:35 ()	Transfer To:	
[701 Mapes Road Fort George Meade MD	3	Mile	11/34/05 1435	Lab Contract No:	
	20755	4		/) '	Unit Price:	
INORGANIC SAMPLE No.		ANALYSIS/ TURNAROUND PRESI	TAG No./ STAT ERVATIVE/ Boilies LOCA		CT ORGANIC SAMPLE No	FOR LAB USE ONLY Sample Condition On Receipt

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bottles	STATION LOCATION	SAMPLE COLL DATE/TIMI		ORGANIC SAMPLE No.	FOR LAB USE ONLY Sample Condition On Receipt
MC02C1	Monitor Well/ Mark Sindaco	L/G	CN (7), Metals (7)	563 (NaOH), 564 (HNO3) (2)	OGS-MW01	S: 11/29/2005	11:00	C02C1	05113006
MC02C2	Potable Well/ Mark Sindaco	ĽG	CN (7), Metals (7)	581 (NaOH), 582 (HNO3) (2)	OGS-RW01	S: 11/29/2005	11:30	C02C2	05113007
MC02C3	Potable Well/ Mark Sindaco	UG	CN (7), Metals (7)	588 (NaOH), 589 (HNO3) (2)	OGS-RW-02	S: 11/29/2005	11:45	C02C3	05113008
MC02C4	Potable Well/ Mark Sindaco	ĽG	CN (7), Metals (7)	595 (NaOH), 596 (HNO3) (2)	OGS-FB01	S: 11/29/2005	12:00	C02C4	05113009
MC02C5	Potable Well/ Mark Sindaco	U∕G	Lead Arsen (7)	597 (HNO3) (1)	OGS-RB01	S: 11/29/2005	15:30		05113010

Shipment for Case Complete?Y	Sample(s) to be used for laboratory QC: //	Additional Sampler Signature(s):	Cooler Temperature Upon Receipt:	Chain of Custody Seal Numb	ber;
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C. Grab = C	3	Custody Seal Intact?	Shipment Iced?
CN = Cyanide, Lead Ars	en = ICP AES (Pb, As, Sb), Metals = ICPMS + ICP	AES (Al, Ca, Fe, K, Mg, Na) +			

TR Number: 3-161183375-112905-0001 LABORATORY COPY
F2V5.1. 043 Page 1 of 1

, Ownedcore? Go to our Web site of feder.com	
8	
or call [
景	
Ì	
ŝ	

	Fedex. US Airbill 8540 8512 0664	0200 🚌 FedEx Retrieval Copy
	From Oate 11125105 Sender's FedEx 2445 1440 5	48 Express Package Service To add SATURDAY Delivery, see Section 8. Packages up to 199 Big. 1 FedEx Priority Overnight 1 FedEx Priority Overnight 1 Next business internage. 1 FedEx Standard Overnight 1 FedEx First business seeming 1 FedEx Priority Overnight 1 Fe
	Senders Dark Sindaco Phone DC7 446 2445	3 FedEx 2Day Second business day 20 FedEx Express Saver Tring business day 7 FedEx Express Saver Freds (anything may not prohibits. Winnings phans (they server may.)
	Company Idea Tech ENI	4b Express Freight Service to and saruman between, see Section 6. Packages over 150 file: 7 FedEx 10sy Freight* 8 FedEx 20sy Freight Secure before 69: 10 FedEx 20sy Freight Secure before 69: 11 FedEx 20sy Freight Secure before 69: 12 FedEx 20sy Freight Secure before 69: 13 FedEx 20sy Freight Secure before 69: 14 FedEx 20sy Freight Secure before 69: 15 FedEx 20sy Freight Secure before 69: 16 FedEx 20sy Freight Secure before 69: 17 FedEx 20sy Freight Secure Before 69: 18 FedEx 20sy Freight Secure Before 69:
	civ Heature some Pe zip 19526	Foodbase 2 Foodbase 3 Foodbase 1 Tube
3	Your Internal Billing Reference 90030010509001 To Recipient's PG1 Souget: Phone 410 305 3667	6 Special Handling 3 SATURDAY Delivery Annuals onto the first Internal Inte
	Company U.S. EPA OASOA Lab Region 3	Sees this shipment sentain dangerous goods? One but must be shoulded. No. 4 Yes Yes
	Recipient's 701 Page Religion	7 Payment BIN ac Enter Felic Acet No. or Dreit Card No. before Card Card Card Card Card Card Card Card
	Address To require a package to haid on a specific legislacemen, proof rails address here.	Aveils Anna Ma. Cred Cord Ro. Delen
-[cry Ft Gener Deade sum Md 21 26755	Total Packages Total Weight Total Scripe Total Charges
1		**Our tability is benius to \$100 unforce you declare a higher value, Doe the oursest facility Service Guide for decade. 8 NEW Residential Delivery Signature Options a you-receive a supressor, shock Director Indirect
	8540 8612 0664	No Signature Required 10 Direct Signature Angewa is ecopared: Ange

13 of 15

3.18°

⊕EP A	1
--------------	---

USEPA Contract Laboratory Program Inorganic Traffic Report & Chain of Custody Record

Cas	e	No		
340				02220

DAS No:	R32383
SDG No:	<u> </u>

_								
	Date Shipped:	12/1/2005	Chain of Custody	Record	Sampler Signature:	Sedur	For Lab Use Onl	у
ı	Carrier Name:	FedEx	Relinquished By	(Date / Time)	Received By	(Dide / Time)	Lab Contract No:	i
l	Airbill:	850714849141	I O I ALL				Cab contract No.	
l	Shipped to:	US EPA Region 3 OAS/QA	1 Mil Derde	ur 13101/05 Ka)		Unit Price:	
ı		Environmental Science	2					
ı		Cente					Transfer To:	
1		701 Mapes Road	3		^			
l		Fort George Meade MD				11/	Lab Contract No:	
l		20755	4		There alk he	n 12/2/03 12:45	Unit Price:	
ı		///OLDOP DODY			CHAIR OLLIF	v 1 – 1 – 1 – 1 – 1 – 1 – 1 – 1	Unit Price:	

INORGANIC SAMPLE No.	MATRIX/ SAMPLER	CONC/ TYPE	ANALYSIS/ TURNAROUND	TAG No./ PRESERVATIVE/ Bolties	STATION LOCATION	SAMPLE COLLECT DATE/TIME	ORGANIC SAMPLE No.	FOR LAB USE ONLY Sample Condition On Receipt	
MC02D5	Soil (0"-12")/ Mark Sindaco	L∕G	Lead Arsen (7)	623 (1)	OGS-SS-019	S: 11/30/2005 10:51		05120213	
MC02D7	Soil (0"-12")/ Mark Sindaco	L/G	Lead Arsen (7)	620 (1)	OGS-SS-004	S: 11/29/2005 14:41		05120214	
MC02D8	Soil (0"-12")/ Mark Sindaco	ĽG	Lead Arsen (7)	621 (1)	OGS-SS-006	S: 11/29/2005 14:44		05120215	
MC02E0	Soil (0"-12")/ Mark Sindaco	ĽG	Lead Arsen (7)	624 (1)	OGS-SS-020	S: 11/30/2005 10:53		05120216	
MC02E1	Soil (0"-12")/ Mark Sindaco	IJG	Lead Arsen (7)	625 (1)	OGS-SS-016	S: 11/30/2005 10:47		05120217	

Shipment for Case Complete?y	Sample(s) to be used for laboratory QC:	Additional Sampler Signature(s):	Cooler Temperature Upon Receipt:	Chain of Custody Seal Number:	
Analysis Key:	Concentration: L = Low, M = Low/Medium, H = High	Type/Designate: Composite = C, Grab = C		Custody Seal Intact? Shipment iced?	
Analysis Key: Lead Arsen = ICP AE		Type/Designate: Composite = C, Grab = C		Custody Seal Intact? S	

TR Number: 3-161183375-120105-0001
PR provides preliminary results. Requests for preliminary results will increase analytical coets. TR Number:

LABORATORY COPY
F2V5.1. 043 Page 1 of 1

SER DOTTOG ON

15 of 15

64 200	English 110 Airbill	
200	Fedex. US Airbill a507 1484 9141	Recipient's Copy
	1 From This portion can be rampyed for Recipient's records. Date 12/61/65 FedEx Tracking Number 850714849141	4a Express Package Service Packages up to 100 line.
νi	Sender's Mark Sindaco Phone 267 446 2445	FedEx 20 my Secand business day Third business day
ction	Company FETRA FEC ZES (MC/CRC .T.	Felfs Environment translation Minimum charge. One-pound rate 4b Express Freight Service Packages even 150 lbs. To their facations.
). instru	Address 209 CHELSTON DOLLA	FedEx 1Day Freight* FedEx 2Day Freight FedEx 3Day Freight Neet business day** * Cal for Confirmators:
NO POUCH NEEDED. See back for peel and stick application instructions.	Address Cay SOUTHWAN State ZIP 1 1 20 2 1	FacEx FedEx Pak* FedEx FedEx FedEx FedEx Other
N date	2 Your Internal Billing Reference 96036016509601	6 Special Handling toctode FedEx address in Section 1
UCH ad stick	Recipients Pat Susinski Phone 40 305 2667	SATURDAY Delivery Analote DRV by Felic Rivery Overlagh, Felic 20e, Felic Overlagh, Felic 20e, Felic Overlagh, Felic 20e, Felic Overlagh, and Felic 20e, Felight to select 20 extent Pelight for the Pelic Annual Control Overlagh and Felic 20e Overlagh an
O P(company U.S. EPA Region 3 OASOA Let	One hax must be cheeked. No Yes Yes Shipping Declaration Only loc 9 Only loc 9 UN 1945
ck for	Recipient's 701 Mg C S RJ We cannot delive to P.O. Domas P.O. ZiP codes. Dept. Record substitution P.O. Dept. Record substit	Desprises goods throtelding Dry look connects or thingsed in Profits pectaging. Paryment Bill to:
se ba	Address	Sender Recipient Third Party Credit Card Cash/Check
Š	To required a package be hold at a specific footis tocasion, print Footis address hore. City Ft Groce Need State Md zip 20755	Total Prickinges Total Weight Total Charges
	J	Cross Care Aus
	1 ES VII 1 1 1 1 1 1 1 1 1	PRIORITY OVERNIGHT FRI
	Fed 表文 emp: 20766 01DEC05	466
	11 1 1 1 1 1 1 1 1 1	4 Q141 FORM 02DEC05
		BWI AA
	20755 -	MD-US 7M: ADWA
	37.0.2.2012.1.2012.1.2	

63/30

OPIGINAL (SO)

APPENDIX C SUMMARY OF ANALYTICAL RESULTS

(One Page)



XRF Results from Old Hamburg Gas Station

Sample ID			Results As	Results Sb	Duplicate
(OG 3-6 S)	Date Sampled	Results Pb (ppm)	(ppm)	(ppm)	results
A001	11/29/2005	1190			
A002	11/29/2005	269			
A003	11/29/2005	95			
A004	11/29/2005	399	13.5	12.2	
A005	11/29/2005	1110			
A006	11/29/2005	504	16.8		
A007	11/29/2005	101			
800A	11/29/2005	808			
A009	11/29/2005	1240			
A010	11/29/2005	2440			
A011	11/29/2005	2720			
A012	11/29/2005	261			
A013	11/30/2005	116			
A014	11/30/2005	116			
A015	11/30/2005	1020			
A016	11/30/2005	643	15.6		
A017	11/30/2005	3080			
A018	11/30/2005	3610			
A019	11/30/2005	439	14.2		
A020	11/30/2005	482	14.6		
A021	11/30/2005	4048			
A022	11/30/2005	142			106
A023	11/30/2005	180			
A024	11/30/2005	267			
A025	11/30/2005	151			
A026	11/30/2005	151	· · · · · ·		
A027	11/30/2005	76			
A028	11/30/2005	125			138
A029	11/30/2005	109			
A030	11/30/2005				
A031	11/30/2005				
A032	11/30/2005				
A033	11/30/2005				
A034	11/30/2005				
A035	11/30/2005				
A036	11/30/2005				
Z001(A022)	11/30/2005				
Z002 (A028)	11/30/2005				
X001	11/29/2005				
X002	11/29/2005				
X003	11/30/2005				
X004	11/30/2005				
X005	11/30/2005				
Y001	11/29/2005				
Y002	11/30/2005		-		
Y003	11/30/2005				
Y004	11/30/2005				
					
Y005 Notes:	11/30/2005	43			L

Notes:

Results measured in parts per million (ppm).

All sample identifiers (ID) begin with OGS-SS-

As = Arsenic

Pb = Lead

Sb = Antimony

A = Surface samples

Y= Subsurface samples collected at 1 foot below ground surface

X = Bias samples

Z = Duplicate sample

= Greater than the 400 ppm lead residential action level.

= Greater than the residential risked-based concentration (RBC) of 0.4 ppm for residential arsenic



APPENDIX D DATA QUALITY REPORT

(Five Pages)





December 30, 2005

Mr. Greg Ham (3HS32)
Enforcement On-Scene Coordinator (OSC)
U.S. Environmental Protection Agency
1650 Arch Street
Philadelphia, PA 19103-2029

Subject: Hamburg Old Gas Station Site - Data Quality Report

EPA Contract No. EP-S3-05-02

Technical Direction Document No. E03-001-05-09-001

Document Tracking No. 0077

Dear Mr. Ham:

This report provides a general review of the Tetra Tech EM Inc. (Tetra Tech) x-ray fluorescence (XRF) analytical data package for the 48 soil samples collected at the Hamburg Old Gas Station site in Hamburg, Berks County, Pennsylvania on November 29 and November 30, 2005. The U.S. Environmental Protection Agency (EPA) requested that the samples be analyzed for lead using the Niton Model 700 XRF. As part of the XRF quality assurance process, 10 percent of the samples (five samples) were sent to the U.S. Environmental Protection Agency Region III Laboratory in Ft. George Meade, Maryland for confirmation analysis. This report focuses on the review of the XRF data only.

The 48 samples were analyzed for lead by Tetra Tech using EPA SW-846, Method 6020 from "Test Methods for Evaluating Solid Waste," September 1986.

The Tetra Tech data reviewer did not participate in the collection, analysis, or preparation of the XRF data package. EPA requested that the XRF data be reviewed in accordance with the EPA "Region III Modifications to National Functional Guidelines for Inorganic Data Review Multi-Media, Multi-Concentration," April 1993 and EPA "Innovative Approaches for Validation of Inorganic Data Standard Operating Procedures," June 1995, level IM2 for inorganic compounds. There were no problems associated with the data package that caused a data qualifier to be applied.

Tetra Tech recommends that EPA accept the XRF data as presented. Please feel free to contact me at (610) 364-2129 regarding any aspect of this report.

Sincerely,

Marian Murphy
Senior Chemist

cc: TDD File

7 Creek Parkway, Suite 700 Boothwyn, PA 19061 Tel 610,485 6410 Fax 610 485,8587 www.tetratech.com

HAMBURG OLD GAS STATION XRF DATA FOR SAMPLES COLLECTED FROM NOVEMBER 29 TO NOVEMBER 30, 2005



XRF Run No.	Sample ID	XRF Operator	Nominal Seconds	Date and Time of Analysis	Pb (ug/g)	Pb Error	Lab Confirmation Result (ug/g)	% D
14	A001	MJS	80.2	12/1/2005 12:22	1189.6	47		
15	A002	MJS	91.7	12/1/2005 12:27	269.4	23		
	A003	MJS	97.9	12/1/2005 12:32	94.5	15.4		
17	A004	MJS	89	12/1/2005 12:37	398.6	27.1	438	-9.9
18	A005	MJS	90.6	12/1/2005 12:43	1109.6	42.3		
19	A006	MJS	90	12/1/2005 12:48	504.4	29.8	542	-7.5
20	A007	MJS	90.2	12/1/2005 12:53	100.7	15.8		
21	800A	MJS	90	12/1/2005 12:58	808.4	36.7		
24	A009	MJS	74.9	12/1/2005 13:14	1240	48.4		
25	A010	MJS	74.9	12/1/2005 13:19	2440	72.5		
26	A011	MJS	86.3	12/1/2005 13:23	2720	76.8	_	
27	A012	MJS	144.4	12/1/2005 13:28	261.2	16.5		
28	A013	MJS	89	12/1/2005 13:36	116.4	15.1		
29	A014	MJS	96.7	12/1/2005 13:41	116.1	14.8		
30	A015	MJS	92.1	12/1/2005 13:47	1020	40.2		
31	A016	MJS	89.7	12/1/2005 13:52	643.2	31.3	534	17.0
32	A017		80.7	12/1/2005 13:57	3080	80.8		
33	A018		74.6	12/1/2005 14:03	3609.6			
34	A019		89.9	12/1/2005 14:07	439.2		544	-23.9
35	A020		89.9	12/1/2005 14:12	482		550	-14.1
	A021		84.1	12/1/2005 14:17	4048			
	A022		89.6	12/1/2005 15:30				
	A023		84.4	12/1/2005 15:35				-
	A024		197	12/1/2005 15:40				
	A025		75.1	12/1/2005 15:50				
	A026		74.9	·			 -	
	A027		90.4					
	A028		94.6	12/1/2005 16:17		13.9		
	A029		91.3	12/1/2005 16:22			·	
	A030		109.2	12/1/2005 16:28				
	A031		164.4	12/1/2005 16:43		9.8		
	A032		69.8					
	A033		80.9					
	A034	 	75					
	A035		76.8					
	A036		80.1				<u> </u>	
	Z001	 	74.9					
	Z002	†	75.1					
	X001		112.3					<u> </u>
	X002	 	91.6					
	X003	 	70.8					
	X004		70.3			 		
	X005		60.8					
	Y001	† 	61.9					
	Y002	 	66.2					
	Y003	 	63.2			1		
	Y004	 	124.8					
	Y005		91.3					
Notes:	1000		1 91.3	12/1/2003 10.22	J 42.5	<u> </u>	<u> </u>	L

Notes:

Samples collected on November 29 and November 30, 2005

%D = Percent difference between XRF result and laboratory result.

<LOD = below detection limit of XRF

HAMBURG OLD GAS STATION XRF DATA FOR SAMPLES COLLECTED FROM NOVEMBER 29 TO NOVEMBER 30, 2005 CONTINUING CALIBRATION DATA



XRF Run#	Sample ID	XRF Operator	Nominal Seconds	Date and Time of Analysis	Lead Concentration Results in parts per million	Instrume nt Error Reading	% D
3	SRM8704	MJS	91	12/1/2005 11:25	131.3	18.1	-12.47
23	SRM2586	MJS	91.2	12/1/2005 13:09	364.4	27.9	-15.65
44	SRM2586		91	12/1/2005 16:11	371.2	28.1	-14.07
65	SRM2586		90.2	12/1/2005 18:05	373.8	28.3	-13.47
70	SRM8704		101.6	12/1/2005 18:32	136	17.6	-9.33

Notes:

XRF Run # = order samples were analyzed

SRM = **S**tandard Reference Material

SRM8704 actual lead concentration equal to 150 ppm SRM2586 actual lead concentration equal to 432 ppm

% D = Percent difference from the true value of SRM

HAMBURG OLD GAS STATION XRF DATA FOR SAMPLES COLLECTED FROM NOVEMBER 29 TO NOVEMBER 30, 2005 BLANK DATA



XRF Run #	Sample ID	XRF Operator	Nominal Seconds	Date and Time of Analysis	Lead Concentration Results in parts per million	Instrument Error Reading
2	BLANK	MJS	91.3	12/1/2005 11:20	<lod< td=""><td>10.5</td></lod<>	10.5
22	BLANK	MJS	89.8	12/1/2005 13:04	<lod< td=""><td>9.9</td></lod<>	9.9
43	BLANK		106.9	12/1/2005 16:05	<lod< td=""><td>9.75</td></lod<>	9.75
63	BLANK		75.1	12/1/2005 17:57	<lod< td=""><td>11.1</td></lod<>	11.1
69	BLANK	L	94.8	12/1/2005 18:27	<lod< td=""><td>9.6</td></lod<>	9.6

Notes:

<LOD = **B**elow instrument detection Limit XRF Run # = order samples were analyzed Blank samples are 99.5 % Silicon Dioxide

HAMBURG OLD GAS STATION XRF DATA FOR SAMPLES COLLECTED FROM NOVEMBER 29 TO NOVEMBER 30, 2005 PERCENT RELATIVE STANDARD DEVIATION (%RSD) DATA



XRF Run#	Sample ID	XRF Operator	Nominal Seconds	Date and Time of Analysis	Lead Concentration Results in parts per million	% RSD
4	SRM2586	MJS	90.4	12/1/2005 11:30	376	
5	SRM2586	MJS	90.2	12/1/2005 11:35	379.4	
6	SRM2586	MJS	91	12/1/2005 11:41	389.8	
7	SRM2586	MJS	91	12/1/2005 11:46	367	
8	SRM2586	MJS	90.3	12/1/2005 11:51	382	
	SRM2586		90.2	12/1/2005 11:55	374.8	
10	SRM2586	MJS	91.1	12/1/2005 12:00	385.6	1.98

Notes

XRF Run # = order samples were analyzed
SRM = Standard Reference Material
SRM2586 actual lead concentration equal to 432 ppm

% RSD = Relative standard deviation



APPENDIX E PHOTOGRAPHIC DOCUMENTATION

(Three Pages)



Photographic Documentation

Prepared by: Tetra Tech EM Inc. Photographer: Mark Sindaco TDD Number: E03-001-05-09-001

Client: U.S. EPA Region 3

Site Name: Old Hamburg Gas Station Site

Location: Hamburg, Pennsylvania

Photograph No. 1

Photograph Date: 11/29/05

Orientation: South

Time: 1500

Description: View of a large piece of casing exposed next

to the trunk of a tree



Photograph No. 2

Photograph Date: 11/29/05

Orientation: South

Time: 1500

Description: Miscellaneous battery parts found on the property at sample location

OGS-SS-X005





Photographic Documentation

Prepared by: Tetra Tech EM Inc.

TDD Number: E03-001-05-09-001

Photographer: Mark Sindaco

Client: U.S. EPA Region 3

Site Name: Old Hamburg Gas Station Site

Location: Hamburg, Pennsylvania

Photograph No. 3

Photograph Date: 11/30/05

Orientation: west

Time: 0920

Description: View of

sampling equipment and GPS

at a sampling location



Photograph No. 4

Photograph Date: 11/30/05

Orientation: North

Time: 1430

Description: START picking up flags from sample locations





Client: U.S. EPA Region 3

Site Name: Old Hamburg Gas Station Site

Location: Hamburg, Pennsylvania

Photograph No. 5

Photograph Date: 11/30/05

Orientation: west

Time: 1600

Description: View of

monitoring well sample onsite

Photographic Documentation

Prepared by: Tetra Tech EM Inc. Photographer: Mark Sindaco TDD Number: E03-001-05-09-001



Photograph No. 6

Photograph Date: 11/30/05

Orientation: East

Time: 1600

Description: View of structures on property from the shoulder of State Street

